

**Table 4B**  
**2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Adair	787	86.8	2.8	5.0	0.0	0.0	5.5	0.0
Allen	943	92.4	1.7	4.1	0.0	0.4	1.4	0.0
Anderson	639	85.6	2.3	4.9	0.0	1.7	5.5	0.0
Ballard	301	86.7	6.3	1.3	0.0	1.3	4.3	0.0
Barren	1,899	86.3	4.4	7.2	0.0	0.5	1.6	0.0
Bath	632	93.7	0.9	3.2	0.0	0.9	1.3	0.0
Bell	1,983	96.5	2.1	0.8	0.0	0.2	0.5	0.0
Boone	2,998	72.9	5.4	19.8	0.1	0.6	1.1	0.0
Bourbon	786	69.8	7.1	20.1	0.1	0.3	2.5	0.0
Boyd	1,836	91.7	1.6	2.1	0.1	0.0	4.5	0.0
Boyle	986	80.3	12.0	6.7	0.0	0.2	0.8	0.0
Bracken	396	94.4	1.0	3.5	0.0	0.0	1.0	0.0
Breathitt	842	99.0	0.2	0.1	0.0	0.4	0.2	0.0
Breckinrid	759	90.8	4.0	1.1	0.0	0.3	4.0	0.0
Bullitt	1,928	91.9	0.8	2.8	0.1	0.8	3.7	0.0
Butler	587	88.8	0.2	10.2	0.2	0.5	0.2	0.0
Caldwell	605	85.6	7.1	3.0	0.0	0.8	3.5	0.0
Calloway	1,255	82.9	3.7	7.8	0.0	1.9	3.6	0.0
Campbell	2,268	87.9	6.3	4.5	0.1	0.4	0.8	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Carlisle	250	90.4	0.8	3.6	0.8	1.2	3.2	0.0
Carroll	690	75.1	1.0	19.9	0.1	0.3	3.6	0.0
Carter	1,687	94.4	0.5	4.3	0.1	0.2	0.5	0.0
Casey	699	87.8	0.0	11.2	0.0	0.1	0.9	0.0
Christian	5,675	58.8	25.8	9.0	0.2	1.9	4.4	0.0
Clark	1,373	86.2	7.4	5.2	0.0	0.5	0.8	0.0
Clay	1,475	98.2	0.1	1.4	0.0	0.1	0.3	0.0
Clinton	715	90.9	0.6	8.3	0.0	0.3	0.0	0.0
Crittenden	366	95.9	1.6	1.1	0.0	0.0	1.4	0.0
Cumberland	373	95.4	3.5	1.1	0.0	0.0	0.0	0.0
Daviess	3,900	74.7	8.4	9.6	0.0	0.5	6.7	0.0
Edmonson	496	95.0	0.0	2.0	0.0	0.0	3.0	0.0
Elliott	465	98.7	0.0	0.9	0.0	0.0	0.4	0.0
Estill	826	98.7	0.5	0.5	0.0	0.1	0.2	0.0
Fayette	8,227	36.2	26.6	31.2	0.2	1.2	4.5	0.0
Fleming	720	96.4	0.8	1.9	0.0	0.3	0.6	0.0
Floyd	2,464	97.5	1.0	1.0	0.0	0.0	0.4	0.0
Franklin	1,689	71.0	14.8	8.2	0.1	1.4	4.4	0.0
Fulton	462	52.2	35.9	1.5	0.0	0.4	10.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Gallatin	588	79.3	1.0	17.5	0.0	0.0	2.2	0.0
Garrard	756	89.0	2.2	5.2	0.3	0.3	3.0	0.0
Grant	1,460	93.0	0.8	4.9	0.0	0.1	1.1	0.0
Graves	1,803	63.8	8.6	22.9	0.1	0.1	4.5	0.0
Grayson	1,312	94.9	1.1	2.7	0.2	0.4	0.7	0.0
Green	557	94.1	2.2	2.3	0.0	0.0	1.4	0.0
Greenup	1,260	96.4	0.7	0.6	0.0	0.7	1.5	0.0
Hancock	329	89.4	0.6	4.0	0.3	0.9	4.9	0.0
Hardin	4,276	68.3	15.3	8.7	0.2	1.2	6.3	0.0
Harlan	2,008	92.2	2.2	2.1	0.0	0.0	3.5	0.0
Harrison	832	89.1	1.7	7.1	0.2	0.0	1.9	0.0
Hart	817	88.6	4.7	2.2	0.0	0.1	4.4	0.0
Henderson	1,790	79.3	11.2	3.9	0.0	0.7	4.9	0.0
Henry	568	86.6	3.3	5.8	0.0	3.2	1.1	0.0
Hickman	185	71.9	14.1	3.8	0.0	0.0	10.3	0.0
Hopkins	2,182	75.7	9.4	3.9	0.0	0.5	10.5	0.0
Jackson	738	97.4	0.3	1.9	0.0	0.1	0.3	0.0
Jefferson	22,939	40.2	43.5	11.0	0.1	1.7	3.5	0.0
Jessamine	2,091	83.4	4.5	7.6	0.0	1.0	3.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Johnson	1,278	98.4	0.2	0.2	0.0	0.5	0.7	0.0
Kenton	4,887	79.7	11.4	6.4	0.1	0.7	1.6	0.0
Knott	868	98.3	0.5	0.5	0.0	0.5	0.3	0.0
Knox	2,107	97.9	1.3	0.5	0.0	0.1	0.2	0.0
Larue	677	81.4	2.1	12.0	0.0	0.0	4.6	0.0
Laurel	2,443	97.9	0.8	0.6	0.1	0.3	0.3	0.0
Lawrence	821	98.5	0.2	0.1	0.0	0.0	1.1	0.0
Lee	401	97.0	1.2	1.5	0.0	0.0	0.2	0.0
Leslie	711	96.9	0.3	0.7	0.0	0.0	2.1	0.0
Letcher	1,139	98.8	0.7	0.4	0.0	0.0	0.1	0.0
Lewis	735	98.0	0.1	0.7	0.1	0.3	0.8	0.0
Lincoln	1,099	93.9	1.5	3.1	0.0	0.2	1.3	0.0
Livingston	366	95.4	1.1	2.2	0.0	0.0	1.4	0.0
Logan	1,054	78.1	11.7	6.5	0.2	0.0	3.5	0.0
Lyon	233	94.8	2.6	0.0	0.0	0.4	2.1	0.0
Madison	2,875	83.1	6.4	5.8	0.1	0.7	4.0	0.0
Magoffin	896	98.2	0.3	1.0	0.0	0.0	0.4	0.0
Marion	1,000	80.6	10.1	9.1	0.0	0.2	0.0	0.0
Marshall	1,194	98.3	0.7	0.8	0.0	0.1	0.2	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Martin	813	98.8	0.1	0.6	0.0	0.0	0.5	0.0
Mason	797	81.3	8.9	4.3	0.4	0.5	4.6	0.0
McCracken	2,428	58.8	28.9	5.4	0.0	0.6	6.3	0.0
McCreary	1,208	97.5	0.2	1.7	0.0	0.0	0.6	0.0
McLean	419	91.6	0.0	6.0	0.0	0.0	2.4	0.0
Meade	879	90.6	1.9	2.8	0.0	0.0	4.7	0.0
Menifee	398	97.7	0.5	1.0	0.0	0.5	0.3	0.0
Mercer	884	87.7	3.5	7.1	0.0	0.3	1.4	0.0
Metcalfe	449	96.7	2.0	0.7	0.0	0.7	0.0	0.0
Monroe	510	85.7	3.9	9.2	0.0	0.0	1.2	0.0
Montgomery	1,426	92.6	0.9	5.4	0.0	0.1	0.9	0.0
Morgan	713	99.3	0.1	0.1	0.0	0.0	0.4	0.0
Muhlenberg	1,302	90.8	3.3	1.8	0.0	0.1	4.0	0.0
Nelson	1,574	80.7	7.5	5.6	0.1	0.2	6.0	0.0
Nicholas	346	93.1	0.6	5.5	0.0	0.0	0.9	0.0
Ohio	1,287	82.1	0.7	16.6	0.1	0.2	0.4	0.0
Oldham	968	69.4	4.5	22.9	0.0	0.7	2.4	0.0
Owen	392	90.1	0.3	8.2	0.0	0.0	1.5	0.0
Owsley	312	97.8	0.6	0.3	0.0	0.0	1.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Pendleton	505	95.6	1.0	2.6	0.0	0.2	0.6	0.0
Perry	1,524	95.8	2.1	0.7	0.0	0.3	1.0	0.0
Pike	2,739	98.1	0.6	0.8	0.0	0.3	0.3	0.0
Powell	772	96.4	1.3	1.6	0.3	0.5	0.0	0.0
Pulaski	2,959	90.8	1.6	7.0	0.0	0.3	0.3	0.0
Robertson	169	95.9	0.0	3.6	0.0	0.0	0.6	0.0
Rockcastle	950	97.9	0.2	1.1	0.0	0.1	0.7	0.0
Rowan	1,003	96.9	1.2	0.4	0.0	1.5	0.0	0.0
Russell	958	87.2	0.4	11.3	0.0	0.6	0.5	0.0
Scott	1,375	79.3	7.1	11.5	0.0	1.9	0.2	0.0
Shelby	1,374	47.2	8.1	39.6	0.1	3.3	1.8	0.0
Simpson	721	79.5	11.9	4.6	0.0	0.1	3.9	0.0
Spencer	468	86.1	1.3	10.3	0.0	0.4	1.9	0.0
Taylor	1,062	83.2	4.3	4.0	0.0	0.1	8.4	0.0
Todd	661	70.3	12.9	11.6	0.0	1.8	3.3	0.0
Trigg	543	79.7	12.0	1.8	0.2	0.6	5.7	0.0
Trimble	354	93.5	0.6	2.0	0.3	2.5	1.1	0.0
Union	619	83.0	9.0	1.0	0.0	0.0	6.9	0.0
Warren	3,544	60.8	13.1	18.9	0.1	4.0	3.2	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Washington	451	73.4	8.2	14.0	0.0	0.0	4.4	0.0
Wayne	1,180	86.0	1.3	11.9	0.0	0.1	0.7	0.0
Webster	564	76.1	2.5	18.1	0.4	0.4	2.7	0.0
Whitley	3,055	97.8	0.7	1.3	0.0	0.2	0.0	0.0
Wolfe	594	98.1	0.0	1.2	0.0	0.0	0.7	0.0
Woodford	821	55.7	6.1	31.1	0.0	1.2	6.0	0.0
Unknown Counties	30	*	*	*	*	*	*	*
<b>Kentucky</b>	<b>172,357</b>	<b>76.4</b>	<b>11.8</b>	<b>8.2</b>	<b>0.1</b>	<b>0.8</b>	<b>2.7</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>7,995,600</b>	<b>31.6</b>	<b>19.4</b>	<b>40.9</b>	<b>1.0</b>	<b>2.5</b>	<b>1.8</b>	<b>2.7</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Adair	787	41.0	19.3	39.6
Allen	943	40.0	18.7	41.4
Anderson	639	43.3	19.7	36.9
Ballard	301	43.9	22.3	33.9
Barren	1,899	45.1	18.7	36.1
Bath	632	39.4	20.4	40.2
Bell	1,983	35.5	19.2	45.4
Boone	2,998	41.4	22.3	36.4
Bourbon	786	46.2	20.0	33.8
Boyd	1,836	45.1	19.6	35.3
Boyle	986	44.2	21.7	34.1
Bracken	396	44.9	17.4	37.6
Breathitt	842	34.9	20.1	45.0
Breckinrid	759	41.8	15.9	42.3
Bullitt	1,928	45.2	20.3	34.5
Butler	587	37.5	20.6	41.9
Caldwell	605	43.6	20.3	36.0
Calloway	1,255	43.6	20.2	36.3

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Campbell	2,268	41.0	22.6	36.5
Carlisle	250	41.2	14.4	44.4
Carroll	690	47.1	18.3	34.6
Carter	1,687	38.4	20.0	41.7
Casey	699	38.3	19.9	41.8
Christian	5,675	45.6	17.4	37.0
Clark	1,373	44.4	20.6	35.0
Clay	1,475	39.0	18.9	42.1
Clinton	715	37.6	22.7	39.7
Crittenden	366	37.7	21.6	40.7
Cumberland	373	34.9	23.9	41.3
Daviess	3,900	45.3	18.5	36.1
Edmonson	496	43.5	16.5	39.9
Elliott	465	38.1	18.1	43.9
Estill	826	38.3	18.8	43.0
Fayette	8,227	43.9	19.9	36.3
Fleming	720	35.1	21.1	43.8
Floyd	2,464	40.1	18.5	41.4

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2008 Pediatric Nutrition Surveillance (1)**  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years (2)**

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Franklin	1,689	44.2	20.0	35.8
Fulton	462	38.3	21.6	40.0
Gallatin	588	37.6	24.1	38.3
Garrard	756	42.2	19.3	38.5
Grant	1,460	38.0	21.4	40.6
Graves	1,803	40.2	20.7	39.0
Grayson	1,312	35.1	21.4	43.4
Green	557	40.0	19.7	40.2
Greenup	1,260	42.9	18.6	38.5
Hancock	329	38.0	18.8	43.2
Hardin	4,276	41.7	19.4	38.9
Harlan	2,008	41.6	17.2	41.1
Harrison	832	40.7	20.7	38.6
Hart	817	43.2	18.4	38.4
Henderson	1,790	49.2	18.5	32.2
Henry	568	42.1	20.2	37.7
Hickman	185	42.2	22.7	35.1
Hopkins	2,182	45.5	16.9	37.7

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Jackson	738	37.8	19.8	42.4
Jefferson	22,939	46.8	20.6	32.5
Jessamine	2,091	44.0	19.8	36.3
Johnson	1,278	41.2	16.4	42.4
Kenton	4,887	59.7	16.5	23.9
Knott	868	41.9	18.9	39.2
Knox	2,107	39.6	18.1	42.3
Larue	677	40.5	19.5	40.0
Laurel	2,443	43.2	18.1	38.7
Lawrence	821	39.8	21.2	39.0
Lee	401	34.4	17.0	48.6
Leslie	711	39.2	19.4	41.4
Letcher	1,139	45.6	18.0	36.4
Lewis	735	36.3	19.2	44.5
Lincoln	1,099	40.0	19.7	40.2
Livingston	366	34.7	19.4	45.9
Logan	1,054	41.1	21.4	37.5
Lyon	233	39.9	20.6	39.5

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2008 Pediatric Nutrition Surveillance (1)**  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years (2)**

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Madison	2,875	45.6	19.5	34.9
Magoffin	896	34.9	17.5	47.5
Marion	1,000	42.4	19.4	38.2
Marshall	1,194	40.2	20.0	39.8
Martin	813	42.6	15.7	41.7
Mason	797	46.4	22.7	30.9
McCracken	2,428	42.6	19.5	37.9
McCreary	1,208	35.2	18.5	46.3
McLean	419	32.5	22.4	45.1
Meade	879	42.5	20.0	37.4
Menifee	398	35.9	17.3	46.7
Mercer	884	38.1	19.1	42.8
Metcalfe	449	37.0	17.8	45.2
Monroe	510	37.6	21.0	41.4
Montgomery	1,426	40.7	21.3	38.0
Morgan	713	37.3	16.3	46.4
Muhlenberg	1,302	41.2	19.2	39.6
Nelson	1,574	41.8	20.3	37.9

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Nicholas	346	43.6	16.5	39.9
Ohio	1,287	40.1	19.6	40.3
Oldham	968	41.7	19.0	39.3
Owen	392	42.6	18.4	39.0
Owsley	312	36.2	15.1	48.7
Pendleton	505	46.3	18.0	35.6
Perry	1,524	45.1	18.2	36.6
Pike	2,739	44.5	19.2	36.2
Powell	772	38.1	19.2	42.7
Pulaski	2,959	44.0	19.3	36.7
Robertson	169	47.9	16.0	36.1
Rockcastle	950	39.9	17.9	42.2
Rowan	1,003	42.5	18.9	38.6
Russell	958	43.1	19.2	37.7
Scott	1,375	44.9	19.3	35.7
Shelby	1,374	39.2	22.8	38.0
Simpson	721	46.9	20.8	32.3
Spencer	468	34.8	23.5	41.7

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Taylor	1,062	46.0	18.3	35.8
Todd	661	39.2	18.9	41.9
Trigg	543	41.6	17.1	41.3
Trimble	354	38.4	21.5	40.1
Union	619	43.6	19.4	37.0
Warren	3,544	45.8	19.2	35.0
Washington	451	35.3	17.1	47.7
Wayne	1,180	39.1	19.7	41.3
Webster	564	40.6	22.7	36.7
Whitley	3,055	42.1	18.1	39.8
Wolfe	594	34.5	17.8	47.6
Woodford	821	40.7	19.2	40.1
Unknown Counties	30	*	*	*
<b>Kentucky</b>	<b>172,357</b>	<b>43.1</b>	<b>19.5</b>	<b>37.4</b>
<b>Nation (Prior Year)</b>	<b>7,995,600</b>	<b>37.6</b>	<b>22.1</b>	<b>40.3</b>

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adair	194	6.7 (17)	7.2 (75)	761	4.6 (32)	6.3 (58)	9.9 (16)	301	11.0 (7)	15.3 (46)	461	9.1 (44)
Allen	245	6.9 (18)	6.9 (64)	925	5.5 (57)	7.1 (78)	9.4 (12)	400	11.8 (11)	12.8 (20)	416	17.1 (103)
Anderson	163	11.7 (77)	5.5 (37)	608	6.6 (76)	6.7 (65)	13.5 (60)	230	27.0(115)	19.6 (92)	388	13.9 (90)
Ballard	92	* *	* *	273	9.2(105)	4.4 (30)	15.4 (89)	99	* *	* *	180	9.4 (51)
Barren	520	11.5 (71)	6.2 (53)	1,828	4.8 (42)	5.6 (49)	11.9 (33)	671	16.5 (48)	18.5 (86)	1,043	8.8 (42)
Bath	134	13.4 (95)	6.7 (62)	595	9.9(110)	6.2 (56)	19.0(110)	240	20.8(103)	22.9(111)	386	11.1 (69)
Bell	431	14.2 (97)	4.9 (26)	1,871	6.5 (72)	3.5 (18)	15.9 (92)	860	16.6 (53)	19.4 (91)	1,346	3.0 (4)
Boone	600	12.3 (86)	7.5 (77)	2,868	6.7 (77)	5.9 (53)	13.3 (55)	1,062	16.0 (43)	13.9 (31)	1,794	14.3 (91)
Bourbon	250	6.0 (9)	6.0 (48)	742	6.2 (69)	5.3 (46)	17.5(101)	247	23.5(111)	20.2 (96)	460	9.3 (49)
Boyd	470	13.2 (93)	5.1 (30)	1,769	3.3 (7)	10.7(113)	8.7 (5)	642	16.4 (47)	15.6 (50)	1,034	19.9(112)
Boyle	242	11.2 (68)	8.3 (83)	952	5.8 (63)	5.7 (51)	13.4 (57)	332	14.5 (19)	13.0 (21)	550	13.1 (83)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bracken	95	* *	* *	384	7.6 (91)	11.7(115)	12.2 (39)	141	33.3(116)	18.4 (85)	244	5.7 (20)
Breathitt	180	8.9 (47)	4.4 (15)	777	4.6 (32)	4.4 (30)	17.5(101)	364	15.1 (25)	17.3 (70)	533	7.3 (30)
Breckinrid	187	9.1 (52)	5.9 (47)	735	5.0 (48)	2.2 (6)	11.2 (23)	317	15.5 (34)	12.6 (18)	483	7.5 (32)
Bullitt	505	8.3 (37)	6.5 (59)	1,861	5.6 (60)	4.4 (30)	13.6 (64)	667	18.7 (83)	15.7 (51)	1,046	10.5 (61)
Butler	129	10.1 (58)	5.4 (34)	573	4.2 (18)	6.6 (64)	15.0 (86)	241	19.1 (87)	21.6(105)	375	8.0 (37)
Caldwell	181	8.8 (44)	4.4 (15)	582	4.8 (42)	7.7 (88)	12.9 (48)	213	14.6 (20)	13.6 (28)	339	12.1 (78)
Calloway	349	6.6 (16)	9.7 (94)	1,212	4.0 (15)	4.7 (41)	12.4 (42)	444	18.0 (77)	12.2 (14)	710	8.2 (39)
Campbell	390	12.8 (90)	6.9 (64)	2,118	4.6 (32)	7.2 (81)	9.0 (7)	805	10.4 (3)	9.2 (3)	1,333	16.0 (96)
Carlisle	69	* *	* *	231	3.9 (14)	2.6 (10)	14.3 (79)	104	23.1(110)	18.3 (84)	148	20.3(114)
Carroll	213	7.5 (25)	6.1 (51)	672	5.4 (53)	7.6 (87)	11.8 (30)	241	19.1 (87)	20.7(101)	399	13.3 (84)
Carter	362	11.6 (76)	5.8 (43)	1,622	3.5 (10)	9.9(108)	12.4 (42)	676	16.7 (58)	17.2 (69)	992	10.0 (56)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Casey	157	10.8 (63)	7.0 (69)	667	7.0 (83)	6.7 (65)	11.4 (25)	283	13.4 (15)	15.2 (45)	409	8.8 (42)
Christian	1,251	9.0 (50)	5.8 (43)	5,422	4.0 (15)	8.1 (93)	8.5 (3)	2,071	13.2 (14)	9.4 (4)	3,158	24.1 (117)
Clark	363	5.8 (6)	6.9 (64)	1,319	5.1 (49)	4.2 (28)	15.7 (91)	476	20.4 (98)	19.1 (89)	760	9.9 (54)
Clay	379	8.4 (39)	7.4 (76)	1,418	4.2 (18)	7.5 (84)	14.1 (76)	598	20.2 (96)	21.2 (103)	948	4.0 (8)
Clinton	153	11.1 (67)	4.6 (20)	684	4.7 (37)	7.2 (81)	15.5 (90)	280	20.7 (102)	21.8 (107)	422	5.9 (21)
Crittenden	83	* *	* *	345	4.9 (44)	4.6 (39)	13.0 (49)	146	18.5 (81)	13.0 (21)	251	20.7 (116)
Cumberland	78	* *	* *	364	4.7 (37)	8.2 (94)	12.1 (38)	147	21.8 (108)	20.4 (97)	243	11.5 (73)
Daviess	1,080	6.2 (10)	8.1 (81)	3,781	8.7 (102)	4.8 (43)	13.5 (60)	1,398	18.2 (79)	16.1 (56)	2,198	11.1 (69)
Edmonson	101	7.9 (30)	3.0 (6)	486	2.9 (3)	8.2 (94)	11.7 (29)	195	16.9 (63)	17.4 (72)	304	3.6 (6)
Elliott	106	4.7 (1)	3.8 (10)	453	2.9 (3)	8.4 (97)	11.0 (22)	196	17.9 (75)	13.8 (30)	261	18.8 (109)
Estill	186	8.6 (41)	4.8 (24)	804	4.6 (32)	4.5 (37)	11.8 (30)	342	15.8 (41)	19.0 (88)	512	9.2 (46)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Fayette	2,045	8.9 (47)	6.6 (61)	7,812	7.8 (94)	6.8 (70)	13.6 (64)	2,870	18.7 (83)	18.2 (83)	4,047	26.2 (119)
Fleming	169	6.5 (14)	9.5 (92)	691	6.8 (79)	11.0 (114)	15.1 (88)	313	11.5 (10)	18.5 (86)	463	16.8 (100)
Floyd	658	10.6 (61)	4.4 (15)	2,335	4.9 (44)	9.0 (103)	9.7 (15)	987	11.4 (9)	12.2 (14)	1,456	7.5 (32)
Franklin	389	11.3 (69)	4.4 (15)	1,615	11.3 (117)	5.4 (48)	16.2 (95)	587	20.6 (101)	20.6 (98)	979	18.7 (108)
Fulton	112	18.8 (100)	7.1 (74)	431	7.4 (89)	8.4 (97)	14.8 (83)	190	16.8 (60)	16.8 (64)	299	20.1 (113)
Gallatin	123	4.9 (2)	10.6 (100)	572	4.5 (30)	7.7 (88)	17.1 (99)	223	21.1 (106)	23.3 (113)	394	18.8 (109)
Garrard	176	11.9 (79)	5.7 (42)	721	5.1 (49)	4.4 (30)	13.0 (49)	292	15.8 (41)	16.1 (56)	434	15.4 (94)
Grant	320	7.8 (27)	6.9 (64)	1,399	3.7 (11)	5.9 (53)	9.0 (7)	586	17.7 (72)	11.3 (10)	948	11.5 (73)
Graves	491	8.4 (39)	6.5 (59)	1,729	5.4 (53)	10.2 (110)	13.8 (68)	693	20.5 (99)	16.9 (65)	1,069	18.3 (105)
Grayson	246	10.6 (61)	5.3 (33)	1,276	7.3 (85)	5.0 (44)	13.4 (57)	569	17.8 (74)	14.6 (37)	853	6.0 (22)
Green	142	6.3 (12)	7.7 (78)	549	4.2 (18)	4.7 (41)	11.8 (30)	217	20.3 (97)	18.0 (78)	322	14.6 (92)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Greenup	314	10.5 (60)	6.4 (57)	1,220	3.4 (8)	12.0(116)	11.5 (28)	479	14.4 (18)	18.0 (78)	702	6.0 (22)
Hancock	68	* *	* *	321	6.9 (82)	1.9 (4)	14.0 (70)	137	26.3(114)	15.3 (46)	221	8.6 (41)
Hardin	1,001	7.4 (22)	6.0 (48)	4,155	7.3 (85)	3.4 (17)	14.0 (70)	1,622	15.1 (25)	14.3 (33)	2,629	9.8 (53)
Harlan	543	14.9 (98)	8.7 (88)	1,914	5.5 (57)	9.1(104)	14.3 (79)	790	21.3(107)	22.0(108)	976	9.7 (52)
Harrison	188	13.3 (94)	4.3 (14)	789	4.4 (27)	4.2 (28)	11.9 (33)	313	18.2 (79)	11.8 (12)	488	12.9 (81)
Hart	203	6.9 (18)	8.4 (86)	792	4.3 (25)	7.1 (78)	11.2 (23)	307	13.0 (13)	17.3 (70)	484	10.3 (59)
Henderson	515	11.5 (71)	3.1 (7)	1,760	6.0 (66)	10.1(109)	8.3 (2)	581	11.0 (7)	15.0 (43)	891	2.0 (2)
Henry	143	5.6 (4)	7.0 (69)	542	10.7(114)	7.4 (83)	18.1(104)	212	16.5 (48)	17.0 (67)	363	16.3 (97)
Hickman	64	* *	* *	177	7.3 (85)	10.2(110)	19.8(111)	61	* *	* *	109	10.1 (57)
Hopkins	539	10.8 (63)	4.8 (24)	2,088	7.6 (91)	3.3 (16)	12.6 (46)	813	19.8 (93)	15.7 (51)	1,320	10.5 (61)
Jackson	167	7.2 (20)	9.6 (93)	710	3.2 (5)	6.1 (55)	13.2 (52)	317	15.5 (34)	17.7 (75)	503	4.8 (14)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Jefferson	5,619	11.5 (71)	5.5 (37)	21,643	5.6 (60)	6.8 (70)	12.8 (47)	7,262	15.6 (37)	12.7 (19)	12,466	15.9 (95)
Jessamine	504	6.5 (14)	6.2 (53)	2,008	6.0 (66)	6.2 (56)	10.4 (19)	736	17.0 (65)	12.2 (14)	1,201	10.5 (61)
Johnson	360	11.4 (70)	5.0 (28)	1,227	7.3 (85)	5.6 (49)	17.1 (99)	519	18.7 (83)	19.8 (93)	753	10.8 (65)
Kenton	1,831	8.2 (34)	6.0 (48)	4,565	4.2 (18)	7.8 (90)	8.8 (6)	1,145	17.9 (75)	14.7 (39)	1,968	11.1 (69)
Knott	237	19.8 (101)	3.4 (8)	798	14.3 (120)	3.5 (18)	22.4 (117)	324	15.1 (25)	22.5 (109)	554	5.6 (18)
Knox	446	11.0 (66)	5.4 (34)	2,017	4.3 (25)	7.1 (78)	14.3 (79)	867	15.6 (37)	20.9 (102)	1,349	8.1 (38)
Larue	156	12.8 (90)	10.3 (97)	639	7.0 (83)	3.9 (24)	21.0 (113)	272	19.1 (87)	20.6 (98)	454	18.5 (106)
Laurel	608	8.2 (34)	10.5 (99)	2,358	4.6 (32)	7.0 (75)	13.2 (52)	936	17.0 (65)	18.1 (82)	1,418	5.1 (16)
Lawrence	206	23.8 (102)	3.9 (11)	781	5.4 (53)	10.2 (110)	14.0 (70)	310	19.4 (90)	20.6 (98)	487	10.5 (61)
Lee	70	* *	* *	385	4.7 (37)	6.8 (70)	9.1 (9)	188	10.6 (5)	9.0 (2)	257	13.6 (87)
Leslie	148	8.1 (33)	8.8 (89)	661	4.4 (27)	13.5 (120)	12.3 (40)	276	8.7 (2)	6.5 (1)	398	14.8 (93)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Letcher	298	11.7 (77)	5.4 (34)	1,098	10.9(115)	2.4 (9)	18.5(107)	408	18.1 (78)	17.9 (76)	598	2.0 (2)
Lewis	177	9.0 (50)	5.6 (40)	710	5.8 (63)	12.0(116)	13.2 (52)	324	12.7 (12)	15.7 (51)	486	4.7 (13)
Lincoln	257	8.2 (34)	7.0 (69)	1,063	4.2 (18)	6.5 (63)	12.0 (36)	433	16.6 (53)	13.4 (26)	722	13.4 (85)
Livingston	82	* *	* *	352	8.0 (97)	1.7 (1)	21.0(113)	160	21.9(109)	11.3 (10)	240	4.6 (11)
Logan	250	8.8 (44)	2.0 (1)	1,017	5.4 (53)	6.8 (70)	13.1 (51)	389	15.4 (31)	20.1 (95)	588	24.1(117)
Lyon	57	* *	* *	221	10.4(113)	2.3 (7)	23.5(119)	87	* *	* *	161	4.3 (9)
Madison	805	7.8 (27)	5.5 (37)	2,804	4.7 (37)	9.2(105)	9.1 (9)	985	16.1 (44)	14.4 (34)	1,689	9.1 (44)
Magoffin	190	7.4 (22)	5.8 (43)	841	9.9(110)	6.3 (58)	21.5(115)	407	24.8(112)	23.6(114)	516	13.0 (82)
Marion	253	8.7 (43)	7.9 (79)	983	8.3 (99)	3.7 (20)	20.1(112)	379	16.6 (53)	19.3 (90)	608	4.6 (11)
Marshall	288	7.3 (21)	6.9 (64)	1,131	12.9(118)	8.0 (92)	16.0 (94)	469	10.4 (3)	10.0 (6)	723	13.8 (88)
Martin	179	12.3 (86)	2.2 (3)	778	8.9(103)	6.3 (58)	13.9 (69)	331	15.7 (39)	16.6 (62)	508	10.2 (58)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Mason	241	12.4 (89)	2.9 (5)	753	9.7(108)	9.7(107)	15.9 (92)	230	16.5 (48)	17.4 (72)	447	16.3 (97)
McCracken	652	9.4 (55)	5.2 (32)	2,168	6.4 (70)	3.9 (24)	18.6(108)	880	15.2 (28)	13.3 (25)	1,423	12.0 (77)
McCreary	247	12.1 (83)	2.4 (4)	1,161	4.9 (44)	6.3 (58)	10.1 (18)	541	15.2 (28)	14.8 (41)	799	7.9 (35)
McLean	74	* *	* *	413	9.7(108)	3.1 (14)	14.0 (70)	190	15.3 (30)	17.9 (76)	297	1.3 (1)
Meade	200	8.0 (32)	15.5(102)	857	9.2(105)	4.4 (30)	16.2 (95)	314	15.0 (22)	11.1 (7)	549	10.9 (67)
Menifee	102	10.8 (63)	9.8 (95)	385	3.4 (8)	8.6(101)	14.0 (70)	178	16.9 (63)	17.4 (72)	223	9.9 (54)
Mercer	215	12.1 (83)	7.0 (69)	840	6.8 (79)	3.7 (20)	14.2 (77)	373	15.0 (22)	16.9 (65)	579	6.9 (27)
Metcalfe	89	* *	* *	440	2.7 (2)	7.5 (84)	10.5 (20)	201	15.4 (31)	13.4 (26)	280	12.1 (78)
Monroe	121	5.8 (6)	8.3 (83)	492	5.3 (52)	6.7 (65)	18.9(109)	198	17.7 (72)	21.2(103)	320	3.1 (5)
Montgomery	326	12.3 (86)	6.4 (57)	1,361	6.5 (72)	4.6 (39)	13.5 (60)	516	15.7 (39)	14.5 (36)	899	6.6 (25)
Morgan	131	11.5 (71)	8.4 (86)	684	3.8 (13)	6.7 (65)	9.9 (16)	318	15.4 (31)	14.8 (41)	480	18.1(104)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Muhlenberg	354	5.6 (4)	9.3 (91)	1,270	5.5 (57)	6.3 (58)	11.9 (33)	501	16.2 (46)	15.4 (48)	742	6.3 (24)
Nelson	363	12.9 (92)	5.0 (28)	1,540	8.4(100)	5.3 (46)	12.5 (45)	585	15.0 (22)	12.3 (17)	966	11.0 (68)
Nicholas	92	* *	* *	322	5.9 (65)	8.4 (97)	9.6 (13)	132	6.8 (1)	9.8 (5)	195	16.9(102)
Ohio	326	5.8 (6)	6.7 (62)	1,264	4.7 (37)	3.7 (20)	11.4 (25)	516	16.7 (58)	14.7 (39)	789	4.9 (15)
Oldham	242	7.9 (30)	4.1 (13)	934	8.6(101)	1.7 (1)	16.5 (97)	376	16.8 (60)	15.7 (51)	513	11.9 (75)
Owen	101	16.8 (99)	2.0 (1)	375	3.7 (11)	8.3 (96)	16.8 (98)	148	25.0(113)	24.3(115)	260	13.5 (86)
Owsley	73	* *	* *	284	6.7 (77)	2.8 (13)	31.7(120)	146	20.5 (99)	28.8(116)	207	9.2 (46)
Pendleton	128	9.4 (55)	4.7 (22)	480	7.9 (96)	6.9 (74)	12.3 (40)	167	16.8 (60)	16.2 (58)	311	11.9 (75)
Perry	384	12.0 (82)	6.3 (56)	1,430	9.0(104)	2.3 (7)	23.0(118)	525	17.3 (69)	23.0(112)	847	10.4 (60)
Pike	658	12.2 (85)	4.4 (15)	2,578	2.3 (1)	13.3(119)	9.3 (11)	918	10.8 (6)	11.2 (9)	1,470	9.2 (46)
Powell	193	13.5 (96)	6.2 (53)	743	4.2 (18)	4.0 (26)	13.6 (64)	328	17.4 (70)	16.5 (60)	504	5.4 (17)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pulaski	708	8.8 (44)	5.6 (40)	2,858	3.2 (5)	7.0 (75)	7.9 (1)	1,061	16.5 (48)	11.1 (7)	1,669	5.6 (18)
Robertson	49	* *	* *	157	5.7 (62)	7.0 (75)	9.6 (13)	61	* *	* *	89	* *
Rockcastle	235	9.4 (55)	5.1 (30)	923	4.4 (27)	6.7 (65)	13.3 (55)	391	19.4 (90)	16.6 (62)	603	7.6 (34)
Rowan	257	6.2 (10)	11.7(101)	975	4.2 (18)	8.5(100)	12.0 (36)	373	16.6 (53)	15.5 (49)	620	7.9 (35)
Russell	257	8.6 (41)	4.7 (22)	925	9.5(107)	7.8 (90)	14.5 (82)	351	19.7 (92)	22.8(110)	540	4.4 (10)
Scott	334	6.3 (12)	9.0 (90)	1,291	8.2 (98)	4.4 (30)	18.4(106)	472	13.6 (16)	15.0 (43)	776	13.8 (88)
Shelby	348	5.5 (3)	9.8 (95)	1,253	10.2(112)	3.8 (23)	18.1(104)	499	16.6 (53)	16.0 (55)	800	16.6 (99)
Simpson	206	7.8 (27)	3.4 (8)	700	6.4 (70)	9.6(106)	8.6 (4)	227	17.2 (67)	11.9 (13)	373	19.0(111)
Spencer	94	* *	* *	459	6.5 (72)	4.4 (30)	13.5 (60)	192	16.1 (44)	13.0 (21)	303	16.8(100)
Taylor	326	8.3 (37)	8.3 (83)	1,022	4.5 (30)	4.1 (27)	11.4 (25)	370	16.5 (48)	14.6 (37)	587	7.0 (28)
Todd	149	7.4 (22)	8.1 (81)	626	11.2(116)	4.5 (37)	17.6(103)	270	20.0 (95)	14.4 (34)	441	9.3 (49)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Trigg	142	7.7 (26)	7.0 (69)	526	7.6 (91)	2.1 (5)	15.0 (86)	226	15.5 (34)	13.7 (29)	346	7.2 (29)
Trimble	94	* *	* *	344	4.9 (44)	13.1(118)	14.0 (70)	135	14.8 (21)	16.3 (59)	231	20.3(114)
Union	163	9.2 (53)	6.1 (51)	602	7.8 (94)	2.7 (12)	10.8 (21)	219	17.4 (70)	14.2 (32)	381	8.4 (40)
Warren	812	11.9 (79)	5.8 (43)	3,379	5.2 (51)	7.5 (84)	12.4 (42)	1,219	18.5 (81)	18.0 (78)	2,001	18.6(107)
Washington	95	* *	* *	440	6.8 (79)	5.0 (44)	13.6 (64)	205	21.0(105)	13.2 (24)	270	6.7 (26)
Wayne	281	9.3 (54)	4.6 (20)	1,151	4.0 (15)	5.8 (52)	13.4 (57)	482	17.2 (67)	19.9 (94)	706	10.8 (65)
Webster	123	8.9 (47)	4.9 (26)	550	13.6(119)	1.8 (3)	22.2(116)	211	19.0 (86)	18.0 (78)	382	3.7 (7)
Whitley	816	10.4 (59)	4.0 (12)	2,941	6.0 (66)	8.9(102)	14.2 (77)	1,175	20.8(103)	21.7(106)	1,912	11.3 (72)
Wolfe	126	11.9 (79)	10.3 (97)	569	6.5 (72)	2.6 (10)	14.8 (83)	278	19.8 (93)	16.5 (60)	368	7.3 (30)
Woodford	191	11.5 (71)	7.9 (79)	796	7.4 (89)	3.1 (14)	14.9 (85)	323	14.2 (17)	17.0 (67)	533	12.8 (80)
Unknown Counties	8	* *	* *	26	* *	* *	* *	16	* *	* *	22	* *

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
<b>Kentucky</b>	<b>42,701</b>	<b>9.8</b>	<b>6.1</b>	<b>164,667</b>	<b>6.0</b>	<b>6.6</b>	<b>13.1</b>	<b>62,832</b>	<b>16.6</b>	<b>15.7</b>	<b>99,273</b>	<b>12.3</b>
<b>Nation (Prior Year)</b>	<b>1,953,242</b>	<b>9.1</b>	<b>6.4</b>	<b>7,526,585</b>	<b>6.2</b>	<b>4.5</b>	<b>13.9</b>	<b>3,058,130</b>	<b>16.4</b>	<b>14.9</b>	<b>4,759,588</b>	<b>15.0</b>

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number  (Rank)	% Ever Breastfed  (Rank)	Number  (Rank)	% Breastfed At Least 6 Months  (Rank)	Number  (Rank)	% Breastfed At Least 12 Months  (Rank)	Number  (Rank)	%  (Rank)	Number  (Rank)	%  (Rank)				
Adair	195	30.3 (68)	138	5.8 (59)	117	4.3 (38)	0	* *	0	* *	334	91.6 (51)	787	23.3 (34)
Allen	245	44.1 (10)	118	7.6 (47)	141	4.3 (38)	0	* *	0	* *	427	85.7 (80)	943	32.4 (55)
Anderson	169	39.6 (27)	98	* *	88	* *	0	* *	0	* *	257	75.5(113)	639	23.0 (33)
Ballard	92	* *	58	* *	50	* *	0	* *	0	* *	108	91.7 (50)	301	47.5 (95)
Barren	537	30.0 (69)	295	6.4 (54)	275	4.7 (29)	0	* *	0	* *	739	90.4 (58)	1,899	25.3 (40)
Bath	134	14.2 (99)	92	* *	102	5.9 (19)	0	* *	0	* *	265	96.6 (21)	632	32.9 (58)
Bell	461	17.8 (93)	231	6.5 (53)	307	1.0 (76)	0	* *	0	* *	964	98.1 (12)	1,983	32.3 (53)
Boone	632	32.8 (53)	471	11.5 (17)	467	6.9 (14)	0	* *	0	* *	1,160	93.0 (38)	2,998	32.5 (56)
Bourbon	250	41.6 (18)	135	10.4 (21)	140	2.1 (67)	0	* *	0	* *	279	84.9 (85)	786	5.2 (11)
Boyd	467	28.1 (73)	312	9.6 (32)	270	7.4 (12)	0	* *	0	* *	704	92.3 (44)	1,836	23.3 (34)
Boyle	256	24.2 (82)	146	10.3 (22)	139	2.9 (54)	0	* *	0	* *	356	93.8 (33)	986	36.6 (68)
Bracken	94	* *	64	* *	53	* *	0	* *	0	* *	154	86.4 (77)	396	64.9 (114)
Breathitt	179	17.3 (96)	109	4.6 (65)	128	0.8 (80)	0	* *	0	* *	409	81.4 (95)	842	52.5 (104)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
 (4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number  (Rank)	% Ever Breastfed  (Rank)	Number  (Rank)	% Breastfed At Least 6 Months  (Rank)	Number  (Rank)	% Breastfed At Least 12 Months  (Rank)	Number  (Rank)	%  (Rank)	Number  (Rank)	%  (Rank)				
Breckinrid	190	30.5 (66)	82	* *	88	* *	0	* *	0	* *	339	81.4 (95)	759	1.1 (4)
Bullitt	505	35.2 (45)	286	8.7 (40)	305	5.9 (19)	0	* *	0	* *	731	88.4 (69)	1,928	27.5 (44)
Butler	129	27.9 (75)	87	* *	99	* *	0	* *	0	* *	267	82.8 (93)	587	21.5 (29)
Caldwell	180	42.2 (13)	102	9.8 (31)	89	* *	0	* *	0	* *	240	74.2(115)	605	35.2 (65)
Calloway	349	54.2 (3)	202	18.3 (4)	200	9.5 (5)	0	* *	0	* *	482	96.1 (23)	1,255	14.4 (20)
Campbell	426	24.9 (81)	440	4.5 (66)	375	5.1 (26)	0	* *	0	* *	879	90.0 (60)	2,268	12.4 (16)
Carlisle	69	* *	36	* *	31	* *	0	* *	0	* *	115	89.6 (64)	250	33.2 (60)
Carroll	213	28.2 (72)	109	9.2 (36)	106	9.4 (7)	0	* *	0	* *	251	92.0 (48)	690	34.6 (64)
Carter	365	33.7 (47)	298	10.1 (25)	266	3.4 (47)	0	* *	0	* *	742	82.6 (94)	1,687	47.8 (97)
Casey	157	30.6 (64)	118	10.2 (23)	116	6.0 (18)	0	* *	0	* *	308	88.0 (71)	699	47.4 (94)
Christian	1,287	49.8 (4)	1,021	13.9 (7)	629	7.5 (10)	0	* *	0	* *	2,201	84.9 (85)	5,675	26.3 (42)
Clark	362	39.5 (28)	257	11.7 (15)	216	6.5 (15)	0	* *	0	* *	516	92.8 (40)	1,373	1.7 (6)
Clay	381	19.7 (90)	201	3.5 (70)	240	2.5 (62)	0	* *	0	* *	620	91.1 (53)	1,475	82.4 (118)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Clinton	152	10.5(101)	106	6.6 (52)	132	3.0 (53)	0	* *	0	* *	302	91.4 (52)	715	48.8 (98)
Crittenden	83	* *	52	* *	67	* *	0	* *	0	* *	158	84.2 (89)	366	27.3 (43)
Cumberland	78	* *	71	* *	73	* *	0	* *	0	* *	171	91.8 (49)	373	40.5 (80)
Daviess	1,076	33.0 (52)	544	6.3 (55)	524	2.1 (67)	0	* *	0	* *	1,508	88.2 (70)	3,900	27.8 (46)
Edmonson	101	41.6 (18)	97	* *	57	* *	0	* *	0	* *	210	80.0(105)	496	43.5 (86)
Elliott	106	23.6 (83)	65	* *	59	* *	0	* *	0	* *	226	93.4 (36)	465	32.3 (53)
Estill	184	29.3 (70)	114	3.5 (70)	105	2.9 (54)	0	* *	0	* *	378	87.0 (73)	826	28.8 (47)
Fayette	2,072	63.0 (2)	1,239	27.4 (2)	1,135	14.1 (4)	0	* *	0	* *	3,173	92.2 (46)	8,227	0.2 (1)
Fleming	169	31.4 (59)	95	* *	132	1.5 (73)	0	* *	0	* *	346	80.9 (99)	720	36.4 (67)
Floyd	660	17.3 (96)	329	4.9 (63)	384	3.4 (47)	0	* *	0	* *	1,100	100. (1)	2,464	54.7 (107)
Franklin	389	41.9 (15)	236	10.6 (20)	250	3.6 (46)	0	* *	0	* *	636	89.3 (68)	1,689	64.7 (113)
Fulton	112	32.1 (56)	65	* *	83	* *	0	* *	0	* *	208	78.4(111)	462	47.6 (96)
Gallatin	123	39.8 (26)	99	* *	97	* *	0	* *	0	* *	248	91.1 (53)	588	29.9 (49)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
 (4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Garrard	178	28.1 (73)	134	8.2 (43)	96	* *	0	* *	317	97.8 (14)	756	38.5 (76)
Grant	329	38.9 (29)	221	10.0 (27)	243	2.5 (62)	0	* *	643	86.8 (74)	1,460	46.2 (92)
Graves	497	34.8 (46)	280	9.3 (34)	295	4.7 (29)	0	* *	754	96.7 (20)	1,803	30.7 (50)
Grayson	251	33.5 (49)	203	9.9 (28)	239	4.2 (40)	0	* *	609	70.6(117)	1,312	67.1 (115)
Green	144	37.5 (36)	80	* *	92	* *	0	* *	241	80.5(102)	557	36.6 (68)
Greenup	316	33.2 (51)	200	11.0 (19)	192	4.2 (40)	0	* *	511	96.9 (19)	1,260	23.9 (36)
Hancock	68	* *	48	* *	35	* *	0	* *	150	80.0(105)	329	27.7 (45)
Hardin	1,025	38.8 (30)	468	9.0 (39)	557	5.0 (27)	0	* *	1,736	90.6 (57)	4,276	40.9 (82)
Harlan	543	19.5 (91)	228	3.9 (68)	296	2.7 (61)	0	* *	871	92.5 (42)	2,008	26.0 (41)
Harrison	188	40.4 (24)	150	8.7 (40)	147	5.4 (24)	0	* *	350	96.3 (22)	832	24.9 (37)
Hart	201	32.8 (53)	138	8.0 (44)	125	4.0 (44)	0	* *	333	86.8 (74)	817	30.8 (51)
Henderson	515	26.8 (79)	233	4.7 (64)	232	3.4 (47)	0	* *	619	89.8 (61)	1,790	38.6 (77)
Henry	143	43.4 (11)	93	* *	113	4.4 (34)	0	* *	225	96.0 (24)	568	13.9 (19)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.  
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
 (4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number  (Rank)	% Ever Breastfed  (Rank)	Number % Breastfed At Least 6 Months  (Rank)	Number % Breastfed At Least 12 Months  (Rank)	Number % Breastfed At Least 3 Months  (Rank)	Number % Breastfed At Least 6 Months  (Rank)	Number  (Rank)	%  (Rank)	Number  (Rank)	%  (Rank)		
Hickman	64	* *	24	* *	32	* *	0	* *	68	* *	185	33.0 (59)
Hopkins	566	37.3 (38)	296	9.1 (37)	261	5.0 (27)	0	* *	883	79.2 (110)	2,182	45.4 (91)
Jackson	169	27.2 (77)	97	* *	119	7.6 (9)	0	* *	344	95.9 (25)	738	53.9 (105)
Jefferson	5,700	46.5 (5)	4,097	15.5 (6)	3,295	8.1 (8)	0	* *	7,796	89.7 (63)	22,939	0.6 (2)
Jessamine	504	39.9 (25)	351	16.2 (5)	274	9.5 (5)	0	* *	808	93.8 (33)	2,091	22.9 (32)
Johnson	360	27.5 (76)	159	6.3 (55)	183	4.4 (34)	0	* *	576	99.0 (10)	1,278	33.7 (61)
Kenton	1,940	32.1 (56)	806	6.8 (50)	556	3.2 (52)	0	* *	1,226	94.0 (30)	4,887	39.7 (79)
Knott	236	22.5 (85)	130	1.5 (76)	102	2.0 (70)	0	* *	373	95.2 (28)	868	21.1 (28)
Knox	498	16.9 (98)	323	3.7 (69)	299	0.3 (82)	0	* *	951	93.4 (36)	2,107	0.6 (2)
Larue	156	30.8 (62)	99	* *	95	* *	0	* *	301	81.4 (95)	677	16.2 (23)
Laurel	619	38.1 (34)	385	9.9 (28)	320	4.7 (29)	0	* *	1,018	94.0 (30)	2,443	58.0 (109)
Lawrence	206	17.5 (94)	122	3.3 (72)	136	1.5 (73)	0	* *	346	100. (1)	821	17.9 (25)
Lee	92	* *	33	* *	55	* *	0	* *	206	86.4 (77)	401	19.7 (27)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
 (4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Leslie	148	30.4 (67)	112	4.5 (66)	104	2.9 (54)	0	* *	0	* *	314	99.4 (7)	711	4.6 (10)
Letcher	298	36.2 (41)	147	10.2 (23)	120	3.3 (51)	0	* *	0	* *	446	84.5 (87)	1,139	12.8 (17)
Lewis	177	27.1 (78)	77	* *	116	0.9 (78)	0	* *	0	* *	353	86.1 (79)	735	56.1 (108)
Lincoln	257	26.5 (80)	190	5.8 (59)	199	0.5 (81)	0	* *	0	* *	472	97.5 (17)	1,099	39.6 (78)
Livingston	82	* *	47	* *	52	* *	0	* *	0	* *	180	73.3(116)	366	42.6 (83)
Logan	251	32.7 (55)	162	9.3 (34)	147	4.1 (42)	0	* *	0	* *	420	95.5 (27)	1,054	22.5 (31)
Lyon	57	* *	38	* *	47	* *	0	* *	0	* *	96	* *	233	24.9 (37)
Madison	803	36.9 (39)	505	9.1 (37)	431	5.8 (21)	0	* *	0	* *	1,065	92.8 (40)	2,875	25.0 (39)
Magoffin	189	13.8(100)	112	2.7 (75)	123	2.4 (65)	0	* *	0	* *	453	98.0 (13)	896	37.4 (72)
Marion	252	41.3 (20)	115	6.1 (58)	136	3.7 (45)	0	* *	0	* *	409	97.8 (14)	1,000	49.8 (99)
Marshall	288	44.4 (9)	198	12.6 (11)	198	5.6 (23)	0	* *	0	* *	500	74.8(114)	1,194	33.9 (62)
Martin	242	9.9(102)	92	* *	107	0.9 (78)	0	* *	0	* *	359	79.4(109)	813	58.8 (111)
Mason	246	22.4 (86)	94	* *	136	2.9 (54)	0	* *	0	* *	268	99.3 (8)	797	58.6 (110)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.  
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
McCracken	652	37.9 (35)	398	12.8 (10)	365	4.4 (34)	0	* *	0	* *	962	87.5 (72)	2,428	14.7 (21)
McCreary	253	22.9 (84)	193	6.2 (57)	177	1.1 (75)	0	* *	0	* *	587	83.5 (92)	1,208	36.3 (66)
McLean	74	* *	57	* *	71	* *	0	* *	0	* *	204	80.9 (99)	419	38.4 (75)
Meade	201	31.8 (58)	127	9.4 (33)	138	2.9 (54)	0	* *	0	* *	349	80.2(104)	879	32.1 (52)
Menifee	102	45.1 (8)	50	* *	52	* *	0	* *	0	* *	198	92.9 (39)	398	21.9 (30)
Mercer	215	41.9 (15)	99	* *	119	3.4 (47)	0	* *	0	* *	396	89.6 (64)	884	52.4 (103)
Metcalfe	89	* *	77	* *	59	* *	0	* *	0	* *	215	84.2 (89)	449	40.8 (81)
Monroe	121	17.4 (95)	61	* *	84	* *	0	* *	0	* *	227	100. (1)	510	36.7 (70)
Montgomery	326	33.7 (47)	217	7.8 (46)	208	2.9 (54)	0	* *	0	* *	580	85.3 (83)	1,426	43.6 (87)
Morgan	154	31.2 (61)	106	19.8 (3)	110	14.5 (3)	0	* *	0	* *	323	99.7 (6)	713	18.8 (26)
Muhlenberg	355	29.0 (71)	229	8.3 (42)	193	2.1 (67)	0	* *	0	* *	549	80.7(101)	1,302	50.3 (100)
Nelson	362	35.9 (42)	194	5.7 (62)	224	4.5 (33)	0	* *	0	* *	644	89.6 (64)	1,574	85.4 (120)
Nicholas	92	* *	54	* *	47	* *	0	* *	0	* *	147	92.5 (42)	346	51.7 (102)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.  
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
 (4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Ohio	325	38.5 (32)	161	6.8 (50)	181	1.7 (71)	0	* *	0	* *	562	75.6(112)	1,287	46.3 (93)
Oldham	241	38.2 (33)	107	12.1 (13)	128	14.8 (2)	0	* *	0	* *	399	91.0 (55)	968	83.1 (119)
Owen	101	30.7 (63)	68	* *	47	* *	0	* *	0	* *	163	93.9 (32)	392	14.8 (22)
Owsley	72	* *	28	* *	42	* *	0	* *	0	* *	159	98.7 (11)	312	43.6 (87)
Pendleton	128	35.9 (42)	85	* *	58	* *	0	* *	0	* *	191	84.3 (88)	505	51.1 (101)
Perry	419	31.3 (60)	207	5.8 (59)	208	2.4 (65)	0	* *	0	* *	594	92.3 (44)	1,524	1.4 (5)
Pike	670	18.8 (92)	459	3.1 (73)	341	0.3 (82)	0	* *	0	* *	1,074	81.2 (98)	2,739	71.2 (117)
Powell	194	38.7 (31)	112	13.4 (8)	109	2.8 (60)	0	* *	0	* *	355	83.9 (91)	772	36.7 (70)
Pulaski	709	40.5 (23)	500	12.4 (12)	351	6.3 (16)	0	* *	0	* *	1,156	93.8 (33)	2,959	43.0 (84)
Robertson	49	* *	25	* *	28	* *	0	* *	0	* *	64	* *	169	59.2 (112)
Rockcastle	235	40.9 (21)	135	13.3 (9)	131	5.3 (25)	0	* *	0	* *	425	90.4 (58)	950	1.7 (6)
Rowan	256	43.0 (12)	158	10.1 (25)	148	4.1 (42)	0	* *	0	* *	419	80.0(105)	1,003	8.2 (13)
Russell	260	35.8 (44)	165	3.0 (74)	136	4.4 (34)	0	* *	0	* *	390	79.7(108)	958	43.3 (85)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.  
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Scott	334	42.2 (13)	232	9.9 (28)	172	5.8 (21)	0	* *	0	* *	521	97.7 (16)	1,375	38.3 (74)
Shelby	348	64.9 (1)	161	42.9 (1)	240	33.8 (1)	0	* *	0	* *	565	85.7 (80)	1,374	2.8 (9)
Simpson	209	30.6 (64)	132	11.4 (18)	107	7.5 (10)	0	* *	0	* *	249	99.2 (9)	721	43.8 (89)
Spencer	94	* *	53	* *	92	* *	0	* *	0	* *	207	86.5 (76)	468	1.7 (6)
Taylor	329	33.4 (50)	171	7.0 (49)	178	6.2 (17)	0	* *	0	* *	409	92.2 (46)	1,062	37.9 (73)
Todd	149	40.9 (21)	90	* *	103	1.0 (76)	0	* *	0	* *	304	100. (1)	661	17.1 (24)
Trigg	141	36.9 (39)	79	* *	71	* *	0	* *	0	* *	236	89.4 (67)	543	29.7 (48)
Trimble	94	* *	45	* *	62	* *	0	* *	0	* *	147	80.3(103)	354	11.6 (15)
Union	163	37.4 (37)	74	* *	76	* *	0	* *	0	* *	244	95.9 (25)	619	44.3 (90)
Warren	912	41.9 (15)	545	11.6 (16)	510	7.1 (13)	0	* *	0	* *	1,325	85.4 (82)	3,544	32.6 (57)
Washington	95	* *	50	* *	62	* *	0	* *	0	* *	226	95.1 (29)	451	5.5 (12)
Wayne	280	20.4 (89)	175	8.0 (44)	179	1.7 (71)	0	* *	0	* *	527	89.8 (61)	1,180	69.6 (116)
Webster	123	45.5 (6)	73	* *	84	* *	0	* *	0	* *	226	85.0 (84)	564	33.9 (62)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Whitley	815	21.0 (88)	493	7.1 (48)	399	2.5 (62)	0	* *	1,309	100. (1)	3,055	13.7 (18)
Wolfe	126	21.4 (87)	73	* *	90	* *	0	* *	302	90.7 (56)	594	54.4 (106)
Woodford	190	45.3 (7)	107	12.1 (13)	109	4.6 (32)	0	* *	351	97.2 (18)	821	8.6 (14)
Unknown Counties	8	* *	3	* *	2	* *	0	* *	19	* *	30	* *
<b>Kentucky</b>	<b>43,492</b>	<b>36.3</b>	<b>26,533</b>	<b>10.8</b>	<b>24,731</b>	<b>5.4</b>	<b>0</b>	<b>*</b>	<b>68,600</b>	<b>89.8</b>	<b>172,357</b>	<b>28.3</b>
<b>Nation (Prior Year)</b>	<b>1,747,004</b>	<b>59.8</b>	<b>874,434</b>	<b>25.4</b>	<b>979,105</b>	<b>17.5</b>	<b>127,047</b>	<b>10.2</b>	<b>182,064</b>	<b>5.2</b>	<b>687,613</b>	<b>75.0</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adair	489	9.0 (40)	6.7 (76)	1,890	5.0 (29)	6.3 (67)	10.4 (9)	767	11.7 (3)	15.3 (37)	1,166	10.4 (56)
Allen	581	6.9 (5)	6.7 (76)	2,313	6.5 (67)	6.8 (82)	11.1 (15)	1,001	14.6 (14)	14.0 (25)	1,150	15.7 (96)
Anderson	408	13.0 (114)	5.1 (32)	1,552	7.2 (77)	7.1 (88)	14.2 (60)	630	22.1 (114)	17.6 (69)	1,021	13.4 (84)
Ballard	203	8.4 (24)	6.9 (81)	740	8.5 (94)	4.9 (40)	16.1 (87)	329	21.0 (108)	10.9 (7)	542	12.7 (77)
Barren	1,238	10.3 (69)	7.2 (92)	4,642	5.2 (37)	5.3 (50)	12.9 (37)	1,794	17.6 (58)	19.3 (93)	2,917	11.2 (61)
Bath	377	11.4 (94)	8.8 (113)	1,564	10.2 (111)	5.9 (60)	19.3 (111)	691	21.6 (111)	25.3 (118)	1,033	9.0 (45)
Bell	1,126	10.8 (82)	6.1 (62)	5,138	6.5 (67)	4.0 (29)	18.3 (102)	2,484	15.0 (22)	19.4 (94)	3,631	3.0 (4)
Boone	1,725	10.3 (69)	7.3 (93)	7,664	6.6 (70)	6.1 (62)	13.7 (51)	2,940	17.9 (67)	15.2 (35)	4,669	15.8 (98)
Bourbon	579	9.3 (47)	5.7 (50)	1,863	6.3 (62)	5.0 (45)	17.7 (99)	666	20.4 (104)	19.7 (97)	1,228	14.9 (92)
Boyd	1,309	11.8 (103)	4.5 (14)	4,775	4.4 (20)	10.4 (116)	9.8 (5)	1,797	16.5 (41)	15.4 (40)	2,969	18.4 (111)
Boyle	632	10.8 (82)	6.8 (80)	2,466	5.0 (29)	4.9 (40)	14.3 (61)	927	17.6 (58)	17.3 (63)	1,469	12.4 (72)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 - 2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Growth and Anemia Indicators by County</b> <sup>(3,4)</sup>												
<b>County</b>	Birthweight <sup>(5)</sup>			Height and Weight						Anemia Low Hb/Hct <sup>(8)</sup>		
	Low	High		Short Stature <sup>(6)</sup>	Under- weight <sup>(7)</sup>	Obese <sup>(7)</sup>		≥ 2 Yrs Over- weight <sup>(7)</sup>				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bracken	260	9.2 (45)	4.6 (19)	976	7.0 (74)	11.2(117)	15.6 (82)	359	25.6(120)	22.3(113)	635	5.7 (17)
Breathitt	492	9.3 (47)	4.9 (27)	2,166	5.3 (40)	4.3 (32)	18.6(104)	1,045	16.0 (31)	18.6 (86)	1,544	6.2 (21)
Breckinrid	451	9.3 (47)	5.3 (39)	1,983	6.8 (73)	2.7 (5)	12.9 (37)	889	14.4 (12)	13.3 (18)	1,416	7.6 (33)
Bullitt	1,367	10.3 (69)	6.9 (81)	4,760	6.0 (57)	4.4 (35)	13.7 (51)	1,728	16.8 (43)	14.8 (31)	2,722	14.6 (88)
Butler	382	10.5 (75)	6.0 (57)	1,613	4.2 (12)	4.9 (40)	17.0 (95)	715	19.2 (89)	22.0(111)	1,082	11.7 (65)
Caldwell	412	9.5 (51)	7.3 (93)	1,462	5.6 (49)	6.9 (86)	15.0 (73)	586	18.1 (71)	14.5 (29)	963	10.6 (58)
Calloway	827	6.2 (3)	10.4(117)	3,242	4.8 (23)	4.5 (37)	11.9 (26)	1,276	17.6 (58)	12.4 (12)	2,052	7.6 (33)
Campbell	1,322	11.1 (86)	6.2 (65)	5,803	5.0 (29)	7.3 (92)	9.6 (4)	2,247	11.3 (2)	8.5 (1)	3,536	17.6(107)
Carlisle	144	11.8(103)	5.6 (44)	622	6.6 (70)	3.1 (11)	16.2 (89)	317	25.2(119)	16.4 (54)	430	18.8(112)
Carroll	484	8.9 (34)	6.2 (65)	1,723	8.5 (94)	6.3 (67)	13.2 (44)	693	19.2 (89)	18.3 (80)	1,145	13.0 (82)
Carter	1,007	9.9 (60)	4.6 (19)	4,374	3.6 (5)	8.9(110)	13.4 (47)	1,928	17.1 (47)	17.9 (77)	2,844	12.9 (79)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Casey	431	10.4 (73)	7.4 (96)	1,835	7.8 (91)	5.9 (60)	12.0 (27)	848	17.1 (47)	15.1 (33)	1,182	10.7 (59)
Christian	3,610	9.6 (53)	6.6 (73)	14,858	4.2 (12)	7.8 (99)	8.8 (2)	5,857	12.0 (5)	8.7 (3)	9,240	23.2(118)
Clark	936	9.5 (51)	6.1 (62)	3,388	5.4 (44)	4.4 (35)	15.7 (83)	1,296	20.4(104)	20.8(103)	2,042	12.5 (75)
Clay	927	10.2 (68)	5.9 (53)	3,803	4.4 (20)	8.0(101)	15.5 (81)	1,776	21.1(109)	22.1(112)	2,656	4.9 (12)
Clinton	407	11.5 (96)	7.1 (88)	1,760	4.3 (16)	6.7 (80)	15.3 (79)	797	20.5(106)	20.8(103)	1,182	4.7 (9)
Crittenden	241	11.2 (89)	3.3 (3)	954	4.9 (26)	4.6 (39)	13.9 (56)	420	19.5 (96)	10.5 (6)	667	16.8(103)
Cumberland	230	11.3 (91)	3.0 (1)	1,030	4.8 (23)	7.8 (99)	10.9 (13)	464	16.2 (36)	15.7 (46)	649	15.7 (96)
Daviess	2,686	7.3 (11)	7.7(102)	9,898	8.8 (98)	3.4 (17)	15.1 (76)	3,918	18.2 (73)	16.3 (53)	6,148	13.1 (83)
Edmonson	287	7.3 (11)	4.9 (27)	1,319	3.6 (5)	6.1 (62)	10.9 (13)	563	18.3 (75)	15.6 (43)	845	4.7 (9)
Elliott	272	9.6 (53)	4.4 (10)	1,193	3.2 (3)	8.9(110)	11.7 (24)	571	18.9 (79)	15.6 (43)	771	24.8(119)
Estill	474	10.5 (75)	5.1 (32)	2,116	5.4 (44)	4.3 (32)	12.1 (30)	955	18.1 (71)	18.4 (82)	1,477	7.8 (35)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Fayette	5,803	10.0 (64)	6.3 (67)	20,661	7.5 (86)	6.7 (80)	13.1 (41)	7,657	19.0 (82)	18.9 (90)	10,658	25.2 (120)
Fleming	438	11.6 (99)	8.9 (114)	1,865	6.6 (70)	8.6 (108)	15.0 (73)	901	14.4 (12)	16.1 (50)	1,321	14.8 (90)
Floyd	1,607	11.8 (103)	4.2 (9)	6,202	5.2 (37)	8.0 (101)	11.6 (20)	2,795	11.9 (4)	14.3 (28)	4,190	8.6 (43)
Franklin	1,159	11.4 (94)	4.4 (10)	4,142	10.6 (113)	5.8 (57)	16.1 (87)	1,425	21.8 (113)	21.4 (109)	2,488	19.3 (114)
Fulton	285	14.0 (116)	5.3 (39)	1,224	7.0 (74)	6.2 (64)	17.2 (97)	573	18.3 (75)	17.6 (69)	851	21.6 (117)
Gallatin	344	7.0 (8)	6.7 (76)	1,384	5.4 (44)	7.4 (94)	15.7 (83)	547	19.2 (89)	20.3 (100)	950	18.0 (108)
Garrard	474	10.5 (75)	5.1 (32)	1,938	7.2 (77)	5.1 (47)	13.9 (56)	858	14.6 (14)	17.6 (69)	1,247	15.1 (93)
Grant	831	10.0 (64)	7.3 (93)	3,704	4.3 (16)	5.5 (54)	10.4 (9)	1,591	17.7 (63)	11.8 (9)	2,643	9.8 (50)
Graves	1,155	7.4 (13)	6.9 (81)	4,505	5.0 (29)	7.6 (96)	15.0 (73)	1,937	20.0 (98)	17.3 (63)	2,887	18.3 (110)
Grayson	734	10.1 (66)	6.0 (57)	3,388	7.4 (85)	5.5 (54)	13.4 (47)	1,587	17.2 (49)	15.1 (33)	2,426	4.1 (7)
Green	334	8.4 (24)	6.3 (67)	1,402	5.3 (40)	3.6 (23)	13.0 (39)	626	19.0 (82)	16.6 (57)	914	12.9 (79)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Greenup	864	9.7 (56)	5.0 (30)	3,358	3.8 (8)	11.9(120)	11.7 (24)	1,398	15.4 (25)	17.7 (72)	2,039	5.9 (19)
Hancock	178	10.1 (66)	5.6 (44)	864	7.2 (77)	2.5 (4)	14.8 (70)	404	24.5(118)	16.1 (50)	632	6.2 (21)
Hardin	2,832	9.0 (40)	5.6 (44)	11,195	7.5 (86)	3.4 (17)	13.1 (41)	4,312	16.9 (45)	13.6 (22)	7,316	9.1 (46)
Harlan	1,295	11.8(103)	8.2(106)	5,109	5.2 (37)	8.5(107)	14.3 (61)	2,293	18.9 (79)	21.0(106)	3,056	8.7 (44)
Harrison	547	11.9(107)	3.8 (8)	2,053	5.6 (49)	5.2 (49)	12.3 (33)	851	15.5 (26)	13.5 (20)	1,295	10.0 (54)
Hart	513	8.8 (33)	7.6(100)	2,097	3.9 (10)	6.3 (67)	12.1 (30)	893	16.1 (35)	17.7 (72)	1,376	8.4 (41)
Henderson	1,305	13.0(114)	3.4 (4)	4,638	6.1 (60)	8.6(108)	9.4 (3)	1,707	14.7 (17)	16.6 (57)	2,623	2.6 (3)
Henry	380	7.6 (15)	8.4(107)	1,432	11.2(114)	6.2 (64)	18.6(104)	581	19.1 (84)	17.0 (61)	968	16.7(102)
Hickman	127	3.1 (1)	7.1 (88)	464	6.5 (67)	8.0(101)	19.0(108)	175	22.3(115)	26.9(120)	308	15.6 (95)
Hopkins	1,360	10.4 (73)	6.0 (57)	5,342	9.0(101)	2.7 (5)	14.7 (67)	2,110	19.1 (84)	17.4 (66)	3,615	9.8 (50)
Jackson	459	8.9 (34)	8.5(110)	1,982	4.3 (16)	5.1 (47)	14.6 (66)	935	15.7 (30)	19.0 (91)	1,454	4.8 (11)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Jefferson	16,009	11.6 (99)	5.6 (44)	56,484	6.0 (57)	6.4 (72)	13.2 (44)	19,766	15.6 (27)	13.4 (19)	33,593	15.8 (98)
Jessamine	1,310	7.8 (17)	6.6 (73)	4,980	5.8 (53)	6.4 (72)	9.9 (7)	1,904	15.3 (24)	11.8 (9)	3,013	14.7 (89)
Johnson	847	11.7 (102)	4.5 (14)	3,357	6.4 (64)	6.4 (72)	17.8 (100)	1,569	17.2 (49)	19.6 (96)	2,264	16.9 (104)
Kenton	5,221	8.7 (31)	6.0 (57)	11,560	5.3 (40)	7.2 (90)	10.1 (8)	2,912	19.1 (84)	18.3 (80)	5,060	13.8 (86)
Knott	553	16.5 (117)	3.1 (2)	2,116	13.0 (119)	3.5 (21)	22.6 (118)	949	16.2 (36)	22.6 (114)	1,595	6.3 (23)
Knox	1,159	9.7 (56)	6.5 (72)	5,109	4.2 (12)	6.8 (82)	15.1 (76)	2,348	17.5 (56)	21.0 (106)	3,581	7.8 (35)
Larue	417	11.3 (91)	8.4 (107)	1,678	6.4 (64)	2.9 (7)	19.2 (110)	735	18.0 (69)	17.8 (75)	1,217	18.9 (113)
Laurel	1,572	9.4 (50)	9.4 (116)	6,116	4.8 (23)	7.7 (97)	14.0 (59)	2,453	18.9 (79)	18.5 (84)	3,824	6.7 (26)
Lawrence	536	18.8 (119)	3.4 (4)	2,068	7.2 (77)	9.1 (112)	16.2 (89)	874	17.4 (52)	21.6 (110)	1,353	10.5 (57)
Lee	191	8.9 (34)	5.8 (51)	1,048	3.6 (5)	5.3 (50)	10.8 (12)	523	12.6 (9)	10.1 (5)	767	10.0 (54)
Leslie	395	8.4 (24)	7.1 (88)	1,792	4.2 (12)	9.9 (114)	14.7 (67)	827	12.1 (6)	12.9 (13)	1,291	12.9 (79)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Letcher	791	12.5 (113)	4.4 (10)	2,885	11.9(116)	2.0 (2)	19.0(108)	1,091	20.0 (98)	19.5 (95)	1,838	2.0 (2)
Lewis	453	9.1 (43)	4.4 (10)	1,914	5.5 (48)	10.3(115)	13.9 (56)	864	13.5 (11)	16.4 (54)	1,211	5.9 (19)
Lincoln	699	9.6 (53)	6.9 (81)	2,832	5.1 (35)	6.3 (67)	14.5 (65)	1,168	17.4 (52)	16.0 (48)	1,942	11.5 (63)
Livingston	203	6.9 (5)	5.9 (53)	929	7.0 (74)	3.2 (13)	20.0(113)	440	20.9(107)	12.3 (11)	703	4.6 (8)
Logan	689	9.1 (43)	4.5 (14)	2,637	5.7 (51)	6.4 (72)	13.7 (51)	993	19.1 (84)	18.7 (89)	1,552	21.4(116)
Lyon	156	7.1 (9)	7.7(102)	599	10.5(112)	3.2 (13)	21.9(116)	243	22.6(116)	19.8 (98)	426	6.3 (23)
Madison	1,964	8.6 (28)	6.1 (62)	7,089	4.9 (26)	8.4(106)	9.8 (5)	2,615	17.5 (56)	15.3 (37)	4,541	9.4 (48)
Magoffin	517	12.4(111)	5.2 (37)	2,345	9.7(108)	4.9 (40)	21.8(115)	1,171	21.6(111)	24.4(116)	1,518	11.7 (65)
Marion	628	9.9 (60)	7.6(100)	2,454	8.8 (98)	3.6 (23)	18.5(103)	1,008	17.6 (58)	18.6 (86)	1,610	6.6 (25)
Marshall	728	7.6 (15)	6.9 (81)	2,916	12.2(117)	7.2 (90)	14.7 (67)	1,286	12.1 (6)	10.0 (4)	1,854	12.4 (72)
Martin	474	12.4(111)	4.6 (19)	2,119	7.9 (92)	6.5 (78)	16.8 (94)	969	17.6 (58)	20.9(105)	1,517	9.2 (47)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Mason	598	10.9 (85)	7.0 (87)	1,981	9.3(103)	8.2(104)	15.9 (86)	687	16.0 (31)	16.0 (48)	1,180	16.2(100)
McCracken	1,620	9.9 (60)	5.6 (44)	5,793	6.3 (62)	4.9 (40)	18.8(106)	2,446	16.3 (39)	13.9 (23)	4,086	12.2 (70)
McCreary	680	10.6 (80)	5.3 (39)	3,154	7.3 (81)	5.8 (57)	13.3 (46)	1,532	18.3 (75)	20.1 (99)	2,290	7.9 (38)
McLean	266	10.5 (75)	6.0 (57)	1,168	11.3(115)	4.0 (29)	13.7 (51)	513	17.9 (67)	17.9 (77)	802	1.0 (1)
Meade	543	9.2 (45)	10.7(118)	2,311	8.6 (97)	4.5 (37)	15.8 (85)	946	16.3 (39)	13.5 (20)	1,584	11.6 (64)
Menifee	239	11.3 (91)	6.7 (76)	1,063	5.4 (44)	6.9 (86)	11.6 (20)	530	17.4 (52)	13.2 (16)	695	11.2 (61)
Mercer	544	11.6 (99)	5.1 (32)	2,253	7.6 (89)	3.5 (21)	13.0 (39)	1,022	15.6 (27)	15.5 (42)	1,615	8.1 (40)
Metcalfe	258	8.9 (34)	5.8 (51)	1,186	2.8 (2)	7.3 (92)	11.4 (18)	538	13.0 (10)	14.9 (32)	788	12.7 (77)
Monroe	321	7.8 (17)	7.5 (98)	1,358	5.9 (54)	6.8 (82)	19.4(112)	591	17.4 (52)	24.9(117)	894	4.0 (5)
Montgomery	894	10.5 (75)	7.4 (96)	3,547	7.3 (81)	3.9 (28)	13.7 (51)	1,446	15.6 (27)	16.5 (56)	2,442	8.5 (42)
Morgan	376	8.0 (19)	9.0(115)	1,851	4.4 (20)	6.2 (64)	12.3 (33)	880	17.2 (49)	17.7 (72)	1,219	16.9(104)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 - 2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Growth and Anemia Indicators by County</b> <sup>(3,4)</sup>												
<b>County</b>	Birthweight <sup>(5)</sup>			Height and Weight							Anemia Low Hb/Hct <sup>(8)</sup>	
	Low	High		Short Stature <sup>(6)</sup>	Under- weight <sup>(7)</sup>	Obese <sup>(7)</sup>		≥ 2 Yrs Over- weight <sup>(7)</sup>			Anemia Low Hb/Hct <sup>(8)</sup>	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Muhlenberg	860	8.6 (28)	8.1 (105)	3,348	5.3 (40)	5.4 (52)	12.0 (27)	1,356	16.0 (31)	15.2 (35)	2,012	7.9 (38)
Nelson	984	12.1 (109)	4.7 (22)	3,986	9.4 (105)	5.4 (52)	13.6 (50)	1,570	14.8 (20)	12.9 (13)	2,545	11.9 (68)
Nicholas	223	17.5 (118)	6.3 (67)	920	5.0 (29)	9.8 (113)	11.1 (15)	409	8.1 (1)	8.6 (2)	610	16.4 (101)
Ohio	843	7.1 (9)	6.3 (67)	3,372	6.0 (57)	3.4 (17)	11.1 (15)	1,407	16.7 (42)	15.8 (47)	2,278	5.0 (13)
Oldham	628	8.3 (23)	4.5 (14)	2,549	9.5 (106)	1.4 (1)	17.5 (98)	1,061	17.8 (65)	15.6 (43)	1,524	9.9 (53)
Owen	253	11.1 (86)	3.6 (6)	1,044	4.3 (16)	7.1 (88)	13.1 (41)	431	20.0 (98)	18.6 (86)	738	13.4 (84)
Owsley	167	10.8 (82)	4.8 (24)	819	7.3 (81)	3.3 (16)	26.4 (120)	460	22.6 (116)	25.4 (119)	662	12.4 (72)
Pendleton	337	8.9 (34)	5.0 (30)	1,304	7.6 (89)	6.3 (67)	12.2 (32)	505	20.2 (103)	16.2 (52)	848	12.1 (69)
Perry	989	12.0 (108)	5.6 (44)	3,814	10.1 (110)	2.1 (3)	25.2 (119)	1,575	19.6 (97)	23.0 (115)	2,435	10.8 (60)
Pike	1,820	12.1 (109)	4.8 (24)	6,966	2.0 (1)	11.7 (119)	10.6 (11)	2,654	12.3 (8)	13.1 (15)	4,312	7.4 (32)
Powell	466	10.3 (69)	5.2 (37)	2,036	4.9 (26)	3.8 (27)	14.4 (64)	944	19.2 (89)	19.0 (91)	1,478	5.4 (15)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 - 2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Growth and Anemia Indicators by County</b> <sup>(3,4)</sup>												
<b>County</b>	Birthweight <sup>(5)</sup>			Height and Weight						Anemia Low Hb/Hct <sup>(8)</sup>		
	Low	High		Short Stature <sup>(6)</sup>	Under- weight <sup>(7)</sup>	Obese <sup>(7)</sup>		≥ 2 Yrs Over- weight <sup>(7)</sup>				
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
	<2500 g (Rank)	>4000 g (Rank)		<5th (Rank)	<5th (Rank)	≥95th (Rank)		85th- (Rank)	<95th (Rank)	≥95th (Rank)		(Rank)
Pulaski	1,859	9.8 (58)	5.4 (42)	7,409	3.4 (4)	6.6 (79)	8.3 (1)	2,908	16.2 (36)	11.1 (8)	4,610	5.8 (18)
Robertson	99	* *	* *	405	6.2 (61)	7.7 (97)	11.6 (20)	190	20.0 (98)	14.7 (30)	283	6.7 (26)
Rockcastle	570	8.6 (28)	5.4 (42)	2,419	6.4 (64)	5.8 (57)	15.3 (79)	1,121	19.2 (89)	17.4 (66)	1,720	6.9 (30)
Rowan	671	6.6 (4)	12.1 (119)	2,586	3.9 (10)	7.4 (94)	12.5 (35)	1,026	14.7 (17)	16.6 (57)	1,674	7.8 (35)
Russell	597	8.2 (22)	4.9 (27)	2,334	9.6(107)	6.4 (72)	14.3 (61)	958	21.3(110)	20.5(101)	1,464	5.5 (16)
Scott	939	8.5 (27)	6.9 (81)	3,408	7.5 (86)	3.7 (25)	18.8(106)	1,239	14.6 (14)	17.4 (66)	2,102	11.7 (65)
Shelby	926	6.9 (5)	8.4(107)	3,252	12.7(118)	3.4 (17)	22.5(117)	1,322	18.2 (73)	21.3(108)	2,221	14.3 (87)
Simpson	495	8.1 (20)	7.1 (88)	1,777	5.7 (51)	6.8 (82)	11.5 (19)	637	16.0 (31)	14.0 (25)	1,044	16.9(104)
Spencer	304	9.9 (60)	5.9 (53)	1,183	8.5 (94)	4.3 (32)	16.7 (93)	462	14.9 (21)	17.3 (63)	733	15.1 (93)
Taylor	733	7.5 (14)	7.8(104)	2,640	5.0 (29)	3.7 (25)	12.0 (27)	1,078	16.8 (43)	14.2 (27)	1,606	6.7 (26)
Todd	379	11.1 (86)	4.5 (14)	1,634	9.7(108)	5.0 (45)	17.9(101)	742	17.7 (63)	15.4 (40)	1,191	12.3 (71)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Trigg	339	11.2 (89)	5.9 (53)	1,355	8.0 (93)	3.0 (8)	15.1 (76)	614	19.1 (84)	13.2 (16)	958	6.8 (29)
Trimble	237	8.9 (34)	5.1 (32)	899	7.3 (81)	11.3(118)	16.5 (92)	365	17.0 (46)	18.4 (82)	610	19.8(115)
Union	418	11.5 (96)	4.8 (24)	1,587	9.1(102)	3.0 (8)	11.6 (20)	618	15.2 (23)	13.9 (23)	1,055	5.2 (14)
Warren	2,410	10.6 (80)	6.4 (71)	9,074	5.1 (35)	6.4 (72)	12.7 (36)	3,253	17.8 (65)	17.2 (62)	5,383	18.2(109)
Washington	263	6.1 (2)	8.7(112)	1,242	9.3(103)	4.2 (31)	16.2 (89)	608	19.2 (89)	16.6 (57)	821	7.3 (31)
Wayne	695	8.1 (20)	4.7 (22)	3,020	3.8 (8)	5.5 (54)	13.4 (47)	1,377	18.0 (69)	17.8 (75)	2,037	9.8 (50)
Webster	366	9.8 (58)	3.6 (6)	1,480	13.2(120)	3.1 (11)	20.5(114)	577	20.1(102)	17.9 (77)	1,039	4.0 (5)
Whitley	1,918	9.0 (40)	6.6 (73)	7,549	5.9 (54)	8.3(105)	14.9 (71)	3,272	18.6 (78)	20.7(102)	5,307	12.5 (75)
Wolfe	345	8.7 (31)	7.5 (98)	1,618	5.9 (54)	3.0 (8)	17.1 (96)	815	19.3 (95)	18.5 (84)	1,155	9.4 (48)
Woodford	477	11.5 (96)	8.6(111)	2,043	8.8 (98)	3.2 (13)	14.9 (71)	887	14.7 (17)	15.3 (37)	1,317	14.8 (90)
Unknown Counties	8	* *	* *	26	* *	* *	* *	16	* *	* *	22	* *

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
<b>Kentucky</b>	<b>113,809</b>	<b>10.1</b>	<b>6.1</b>	<b>434,224</b>	<b>6.3</b>	<b>6.1</b>	<b>13.7</b>	<b>173,726</b>	<b>16.9</b>	<b>16.2</b>	<b>273,939</b>	<b>12.4</b>

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
 (4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Adair	587	33.4 (81)	392	6.4 (64)	284	3.9 (61)	0	* *	0	* *	839	95.4 (54)	1,160	24.6 (34)
Allen	707	46.7 (11)	451	10.0 (14)	383	5.5 (27)	0	* *	0	* *	1,105	87.9(112)	1,380	36.2 (62)
Anderson	516	47.5 (7)	342	7.3 (52)	242	4.1 (56)	0	* *	0	* *	694	84.9(120)	976	24.7 (35)
Ballard	233	38.2 (53)	147	12.9 (7)	115	6.1 (22)	0	* *	0	* *	355	96.9 (32)	480	47.9 (97)
Barren	1,542	36.6 (60)	990	7.7 (44)	745	5.1 (34)	0	* *	0	* *	2,006	91.2 (94)	2,892	33.6 (54)
Bath	472	20.1(113)	322	5.6 (78)	242	3.7 (72)	0	* *	0	* *	763	97.8 (23)	953	37.6 (66)
Bell	1,362	21.7(110)	881	3.6 (106)	766	1.3 (111)	0	* *	0	* *	2,755	98.1 (20)	2,985	27.7 (44)
Boone	2,416	34.9 (71)	1,693	9.2 (25)	1,163	6.7 (17)	0	* *	0	* *	3,225	96.9 (32)	4,988	32.0 (50)
Bourbon	675	44.7 (20)	420	6.0 (70)	330	3.3 (78)	0	* *	0	* *	739	94.0 (71)	1,212	6.3 (12)
Boyd	1,593	34.8 (72)	1,052	8.4 (34)	721	7.5 (13)	0	* *	0	* *	1,969	96.3 (40)	3,026	22.8 (31)
Boyle	800	22.5(106)	494	7.5 (49)	341	4.7 (43)	0	* *	0	* *	1,008	96.7 (36)	1,560	33.6 (54)
Bracken	327	27.8 (93)	212	4.2 (101)	147	1.4 (109)	0	* *	0	* *	407	85.3(118)	644	57.3 (109)
Breathitt	589	18.8(118)	416	3.8 (104)	327	1.2 (113)	0	* *	0	* *	1,173	91.3 (91)	1,333	55.9 (106)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
 (4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed  (Rank)	Number	% Breastfed At Least 6 Months  (Rank)	Number	% Breastfed At Least 12 Months  (Rank)	Number	%  (Rank)	Number	%  (Rank)		
Breckinrid	571	35.4 (68)	364	11.3 (11)	275	8.0 (9)	0	* *	966	85.8(115)	1,200	2.3 (6)
Bullitt	1,680	36.1 (65)	1,063	5.9 (72)	812	3.7 (72)	0	* *	1,875	93.2 (79)	3,071	35.1 (58)
Butler	449	33.6 (79)	318	4.7 (96)	248	2.0 (99)	0	* *	789	90.7 (98)	934	23.4 (32)
Caldwell	483	42.4 (26)	310	5.2 (87)	247	2.8 (87)	0	* *	654	88.5(107)	919	38.5 (68)
Calloway	1,039	59.5 (3)	685	15.8 (3)	561	8.9 (6)	0	* *	1,396	94.2 (68)	2,030	16.2 (20)
Campbell	1,885	27.9 (92)	1,381	5.5 (81)	928	5.2 (32)	0	* *	2,453	95.3 (57)	3,780	13.3 (17)
Carlisle	184	47.8 (6)	109	5.5 (81)	92	* *	0	* *	343	95.9 (45)	385	42.3 (80)
Carroll	551	34.5 (75)	318	8.2 (37)	252	7.1 (16)	0	* *	738	95.5 (53)	1,103	43.1 (82)
Carter	1,245	35.1 (70)	886	9.0 (27)	675	4.9 (36)	0	* *	2,136	89.1(102)	2,631	47.4 (95)
Casey	514	38.9 (49)	363	8.0 (40)	267	6.0 (25)	0	* *	922	95.6 (52)	1,112	48.4 (98)
Christian	4,798	50.1 (5)	3,414	12.0 (9)	2,069	7.6 (12)	0	* *	6,298	88.3(108)	10,048	21.8 (29)
Clark	1,145	41.2 (35)	807	9.5 (19)	569	4.9 (36)	0	* *	1,414	95.7 (51)	2,144	2.9 (7)
Clay	1,059	22.7(105)	692	3.9 (103)	560	3.0 (82)	0	* *	1,899	96.3 (40)	2,175	83.0 (119)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
 (4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Clinton	508	19.7(116)	342	2.6 (115)	271	2.2 (95)	0	* *	0	* *	869	95.4 (54)	1,023	39.4 (70)
Crittenden	287	33.4 (81)	194	0.5 (118)	164	0.6 (117)	0	* *	0	* *	443	92.3 (87)	565	17.5 (24)
Cumberland	278	22.3(107)	197	2.5 (116)	165	1.8 (102)	0	* *	0	* *	512	95.9 (45)	569	44.6 (87)
Daviess	3,168	34.1 (76)	2,025	5.4 (85)	1,386	3.8 (66)	0	* *	0	* *	4,259	94.3 (65)	6,328	31.9 (49)
Edmonson	381	43.3 (22)	283	9.5 (19)	153	3.9 (61)	0	* *	0	* *	611	85.4(117)	817	41.9 (77)
Elliott	326	24.5(102)	236	5.1 (88)	174	4.0 (58)	0	* *	0	* *	634	94.8 (62)	686	32.2 (52)
Estill	567	28.9 (89)	376	4.8 (94)	277	3.6 (75)	0	* *	0	* *	1,050	93.0 (81)	1,222	27.3 (43)
Fayette	7,019	60.4 (2)	4,717	18.2 (2)	3,196	12.7 (2)	0	* *	0	* *	8,413	94.3 (65)	12,968	0.3 (1)
Fleming	504	32.7 (83)	335	4.5 (98)	289	2.1 (98)	0	* *	0	* *	996	88.8(105)	1,086	36.5 (63)
Floyd	1,802	19.1(117)	1,139	5.4 (85)	941	4.4 (52)	0	* *	0	* *	3,119	99.7 (4)	3,645	56.1 (108)
Franklin	1,456	45.7 (14)	926	8.4 (34)	640	5.5 (27)	0	* *	0	* *	1,562	93.5 (77)	2,745	64.0 (114)
Fulton	358	36.6 (60)	233	3.0 (110)	199	1.5 (107)	0	* *	0	* *	621	90.2 (99)	772	47.2 (93)
Gallatin	451	34.8 (72)	328	8.5 (33)	237	3.8 (66)	0	* *	0	* *	609	95.1 (60)	889	25.0 (36)

(1) Reporting period is January 1 through December 31.  
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.  
 (3) Analyses based on one record per child.  
 (4) Excludes records with unknown data or errors.  
 (5) Rank compares this county's rate to other counties. Rank 1 = best rate.  
 (6) the Breastfed At Least 6 Months analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
 (7) Children ages 2 years and older included in the analyses.  
 \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
 (4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Garrard	596	36.4 (63)	413	7.0 (54)	288	4.2 (55)	0	* *	0	* *	931	98.7 (15)	1,204	40.5 (74)
Grant	1,103	39.0 (46)	799	6.9 (56)	651	2.9 (84)	0	* *	0	* *	1,763	93.5 (77)	2,361	55.1 (105)
Graves	1,380	44.9 (17)	919	9.5 (19)	759	6.1 (22)	0	* *	0	* *	2,114	98.0 (22)	2,700	34.0 (56)
Grayson	953	36.7 (59)	682	7.5 (49)	543	4.6 (46)	0	* *	0	* *	1,714	87.0(113)	2,022	49.5 (100)
Green	417	42.4 (26)	281	9.3 (23)	230	6.1 (22)	0	* *	0	* *	687	88.2(109)	828	35.3 (59)
Greenup	1,029	36.5 (62)	673	7.0 (54)	475	4.6 (46)	0	* *	0	* *	1,520	97.8 (23)	2,127	25.9 (38)
Hancock	237	42.2 (28)	163	13.5 (6)	113	5.3 (30)	0	* *	0	* *	436	90.8 (97)	531	30.1 (46)
Hardin	3,524	39.3 (43)	2,262	6.9 (56)	1,663	4.9 (36)	0	* *	0	* *	4,663	95.0 (61)	7,254	47.1 (92)
Harlan	1,486	22.1(109)	887	3.4 (108)	722	2.9 (84)	0	* *	0	* *	2,546	93.8 (73)	3,044	20.1 (27)
Harrison	659	41.6 (32)	454	9.3 (23)	337	5.0 (35)	0	* *	0	* *	942	97.3 (27)	1,289	31.0 (48)
Hart	641	39.8 (41)	443	7.9 (41)	316	4.7 (43)	0	* *	0	* *	964	94.1 (69)	1,277	35.5 (60)
Henderson	1,528	32.3 (84)	904	3.7 (105)	602	3.2 (79)	0	* *	0	* *	1,844	96.4 (38)	2,943	40.6 (75)
Henry	473	40.0 (39)	326	7.7 (44)	263	4.9 (36)	0	* *	0	* *	632	98.1 (20)	905	21.4 (28)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
 (4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Hickman	149	33.6 (79)	91	* *	80	* *	0	* *	0	* *	194	97.4 (26)	287	38.3 (67)
Hopkins	1,717	40.1 (38)	1,095	8.1 (38)	742	4.0 (58)	0	* *	0	* *	2,290	88.9(104)	3,324	45.5 (90)
Jackson	537	25.1(100)	368	5.7 (76)	300	3.0 (82)	0	* *	0	* *	1,026	98.4 (17)	1,160	47.2 (93)
Jefferson	20,450	46.9 (10)	13,817	12.6 (8)	8,919	7.9 (10)	0	* *	0	* *	21,404	94.4 (64)	37,727	0.9 (2)
Jessamine	1,697	44.9 (17)	1,154	14.7 (4)	758	9.6 (4)	0	* *	0	* *	2,085	95.8 (48)	3,265	27.1 (42)
Johnson	970	31.8 (86)	590	5.6 (78)	485	4.7 (43)	0	* *	0	* *	1,710	99.6 (6)	1,981	37.4 (65)
Kenton	5,465	38.4 (51)	2,569	5.6 (78)	1,435	3.9 (61)	0	* *	0	* *	3,132	97.0 (30)	8,576	39.4 (70)
Knott	631	22.2(108)	420	2.9 (112)	274	2.2 (95)	0	* *	0	* *	1,083	97.3 (27)	1,293	26.3 (40)
Knox	1,522	20.0(115)	1,023	3.0 (110)	727	1.0 (114)	0	* *	0	* *	2,578	96.1 (44)	3,277	0.9 (2)
Larue	526	42.8 (25)	374	6.7 (60)	288	3.8 (66)	0	* *	0	* *	804	91.3 (91)	1,052	16.5 (21)
Laurel	1,927	37.8 (54)	1,256	7.6 (46)	875	3.8 (66)	0	* *	0	* *	2,706	96.3 (40)	3,809	59.9 (112)
Lawrence	606	24.6(101)	417	6.5 (63)	318	2.5 (91)	0	* *	0	* *	976	99.3 (11)	1,241	17.8 (25)
Lee	270	26.3 (98)	166	6.6 (62)	134	4.5 (50)	0	* *	0	* *	572	94.1 (69)	610	22.1 (30)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.  
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
 (4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Leslie	496	27.8 (93)	360	6.7 (60)	256	4.3 (54)	0	* *	0	* *	944	99.4 (9)	1,056	5.2 (11)
Letcher	902	37.4 (56)	588	6.3 (66)	349	4.0 (58)	0	* *	0	* *	1,201	90.9 (95)	1,803	12.3 (14)
Lewis	521	34.0 (77)	339	5.0 (90)	303	2.0 (99)	0	* *	0	* *	973	92.7 (82)	1,134	45.8 (91)
Lincoln	850	27.3 (97)	600	4.0 (102)	477	1.3 (111)	0	* *	0	* *	1,292	98.2 (19)	1,745	41.1 (76)
Livingston	246	46.7 (11)	170	7.6 (46)	155	3.9 (61)	0	* *	0	* *	482	86.3(114)	539	30.4 (47)
Logan	849	35.5 (67)	569	6.0 (70)	391	3.6 (75)	0	* *	0	* *	1,090	98.3 (18)	1,632	16.7 (23)
Lyon	184	47.3 (8)	125	9.6 (18)	109	1.8 (102)	0	* *	0	* *	274	96.4 (38)	367	26.2 (39)
Madison	2,390	39.2 (44)	1,572	9.9 (15)	1,135	7.8 (11)	0	* *	0	* *	2,851	96.2 (43)	4,408	33.4 (53)
Magoffin	588	16.8(119)	399	5.8 (73)	309	3.9 (61)	0	* *	0	* *	1,300	99.1 (12)	1,335	39.5 (72)
Marion	762	41.6 (32)	482	8.3 (36)	358	4.5 (50)	0	* *	0	* *	1,109	98.9 (14)	1,523	49.2 (99)
Marshall	893	44.8 (19)	623	9.8 (16)	476	4.6 (46)	0	* *	0	* *	1,385	88.2(109)	1,813	34.9 (57)
Martin	601	14.6(120)	339	2.7 (114)	278	1.4 (109)	0	* *	0	* *	1,069	88.7(106)	1,262	70.6 (117)
Mason	693	27.8 (93)	396	4.3 (99)	317	2.2 (95)	0	* *	0	* *	770	99.6 (6)	1,275	51.8 (103)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.  
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
 (4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
McCracken	1,899	44.5 (21)	1,260	9.7 (17)	938	5.4 (29)	0	* *	0	* *	2,679	93.2 (79)	3,854	12.6 (16)
McCreary	837	28.9 (89)	610	4.3 (99)	450	2.0 (99)	0	* *	0	* *	1,666	90.9 (95)	1,816	39.8 (73)
McLean	320	29.7 (88)	235	4.7 (96)	182	4.4 (52)	0	* *	0	* *	559	91.6 (89)	716	47.8 (96)
Meade	708	37.4 (56)	466	6.4 (64)	339	2.7 (88)	0	* *	0	* *	1,020	92.7 (82)	1,437	29.9 (45)
Menifee	271	39.9 (40)	179	5.0 (90)	145	4.8 (42)	0	* *	0	* *	584	96.9 (32)	601	24.5 (33)
Mercer	630	42.1 (30)	409	8.6 (31)	320	5.3 (30)	0	* *	0	* *	1,105	93.7 (75)	1,337	55.9 (106)
Metcalfe	308	36.0 (66)	224	5.8 (73)	169	4.1 (56)	0	* *	0	* *	583	91.3 (91)	680	44.1 (86)
Monroe	372	26.3 (98)	239	2.9 (112)	202	2.5 (91)	0	* *	0	* *	677	100. (1)	779	32.1 (51)
Montgomery	1,110	34.8 (72)	759	7.6 (46)	552	4.9 (36)	0	* *	0	* *	1,585	92.7 (82)	2,158	45.0 (88)
Morgan	506	33.8 (78)	351	14.0 (5)	266	8.6 (7)	0	* *	0	* *	939	99.7 (4)	1,101	25.2 (37)
Muhlenberg	1,016	27.6 (96)	684	6.3 (66)	497	2.4 (94)	0	* *	0	* *	1,481	92.5 (86)	2,013	54.4 (104)
Nelson	1,255	39.8 (41)	805	6.8 (58)	603	4.6 (46)	0	* *	0	* *	1,730	95.3 (57)	2,467	87.3 (120)
Nicholas	259	24.3(103)	166	1.8 (117)	132	0.8 (116)	0	* *	0	* *	461	85.2(119)	546	50.7 (102)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.  
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
 (4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Ohio	1,027	40.2 (37)	670	5.1 (88)	518	3.1 (80)	0	* *	0	* *	1,531	88.2(109)	2,062	43.2 (83)
Oldham	787	51.7 (4)	501	11.8 (10)	416	11.1 (3)	0	* *	0	* *	1,148	95.3 (57)	1,621	76.1 (118)
Owen	299	40.8 (36)	199	7.5 (49)	137	7.3 (15)	0	* *	0	* *	471	95.8 (48)	632	16.6 (22)
Owsley	199	20.1(113)	130	6.2 (68)	107	0.9 (115)	0	* *	0	* *	500	99.4 (9)	463	50.1 (101)
Pendleton	417	42.2 (28)	283	5.7 (76)	184	2.7 (88)	0	* *	0	* *	560	91.6 (89)	843	63.7 (113)
Perry	1,214	32.0 (85)	752	5.5 (81)	550	3.8 (66)	0	* *	0	* *	1,759	97.0 (30)	2,345	1.8 (4)
Pike	2,240	23.9(104)	1,493	3.1 (109)	966	2.5 (91)	0	* *	0	* *	3,068	89.1(102)	4,493	69.6 (116)
Powell	571	39.2 (44)	392	6.1 (69)	292	1.7 (106)	0	* *	0	* *	1,032	85.8(115)	1,206	45.4 (89)
Pulaski	2,308	42.9 (24)	1,575	7.9 (41)	1,020	3.8 (66)	0	* *	0	* *	3,222	96.9 (32)	4,603	41.9 (77)
Robertson	118	39.0 (46)	71	* *	60	* *	0	* *	0	* *	204	99.5 (8)	239	59.4 (111)
Rockcastle	675	35.3 (69)	427	8.9 (29)	331	6.3 (19)	0	* *	0	* *	1,227	95.8 (48)	1,401	3.4 (8)
Rowan	810	43.1 (23)	544	9.0 (27)	378	3.7 (72)	0	* *	0	* *	1,143	89.6(100)	1,579	9.2 (13)
Russell	763	37.5 (55)	502	4.8 (94)	374	3.5 (77)	0	* *	0	* *	1,060	89.3(101)	1,459	41.9 (77)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.  
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
 (4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number  (Rank)	% Ever Breastfed  (Rank)	Number % Breastfed At Least 6 Months  (Rank)	Number % Breastfed At Least 12 Months  (Rank)	Number % Breastfed At Least 3 Months  (Rank)	Number % Breastfed At Least 6 Months  (Rank)	Number  (Rank)	%  (Rank)	Number  (Rank)	%  (Rank)
Scott	1,213	42.1 (30)	847 9.4 (22)	553 6.5 (18)	0 * *	0 * *	1,380	95.9 (45)	2,264	42.4 (81)
Shelby	1,108	64.8 (1)	713 29.9 (1)	588 25.3 (1)	0 * *	0 * *	1,482	93.8 (73)	2,135	4.6 (10)
Simpson	634	31.7 (87)	396 9.1 (26)	272 6.3 (19)	0 * *	0 * *	694	99.1 (12)	1,170	43.2 (83)
Spencer	359	37.0 (58)	254 8.7 (30)	209 8.1 (8)	0 * *	0 * *	514	94.0 (71)	699	2.1 (5)
Taylor	849	38.4 (51)	548 7.3 (52)	430 4.9 (36)	0 * *	0 * *	1,186	95.4 (54)	1,642	38.9 (69)
Todd	489	41.5 (34)	338 6.8 (58)	260 1.5 (107)	0 * *	0 * *	821	100. (1)	1,025	18.9 (26)
Trigg	405	46.4 (13)	266 8.6 (31)	200 7.5 (13)	0 * *	0 * *	658	93.6 (76)	853	36.8 (64)
Trimble	279	36.2 (64)	177 7.9 (41)	139 5.8 (26)	0 * *	0 * *	392	92.1 (88)	577	15.4 (19)
Union	508	38.6 (50)	310 5.8 (73)	223 3.1 (80)	0 * *	0 * *	676	98.5 (16)	989	43.5 (85)
Warren	3,061	47.1 (9)	1,997 10.3 (13)	1,340 6.3 (19)	0 * *	0 * *	3,573	92.7 (82)	5,767	26.6 (41)
Washington	326	39.0 (46)	208 11.1 (12)	175 9.1 (5)	0 * *	0 * *	669	97.8 (23)	730	4.1 (9)
Wayne	835	28.4 (91)	579 5.0 (90)	440 2.7 (88)	0 * *	0 * *	1,514	94.5 (63)	1,736	65.4 (115)
Webster	458	45.2 (16)	314 3.5 (107)	226 1.8 (102)	0 * *	0 * *	632	94.3 (65)	893	35.9 (61)

(1) Reporting period is January 1 through December 31.  
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.  
 (3) Analyses based on one record per child.  
 (4) Excludes records with unknown data or errors.  
 (5) Rank compares this county's rate to other counties. Rank 1 = best rate.  
 (6) the Breastfed At Least 6 Months analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
 (7) Children ages 2 years and older included in the analyses.  
 \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 - 2008 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Whitley	2,230	21.3(112)	1,467	5.0 (90)	1,044	2.9 (84)	0	* *	0	* *	3,633	100. (1)	4,575	14.6 (18)
Wolfe	388	21.6(111)	274	5.5 (81)	221	1.8 (102)	0	* *	0	* *	893	96.5 (37)	880	57.3 (109)
Woodford	611	45.7 (14)	396	8.1 (38)	305	5.2 (32)	0	* *	0	* *	960	97.3 (27)	1,256	12.5 (15)
Unknown Counties	12	* *	5	* *	4	* *	0	* *	0	* *	19	* *	16	* *
<b>Kentucky</b>	<b>139,679</b>	<b>39.1</b>	<b>91,976</b>	<b>8.8</b>	<b>65,420</b>	<b>5.6</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>190,365</b>	<b>94.3</b>	<b>274,073</b>	<b>28.8</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

